

10/568783

!AP20 Rec'd PCT/PTO 21 FEB 2006

**Merck Patent Gesellschaft
mit beschränkter Haftung
64271 Darmstadt**

Cyclopenta[a]naphthalene derivatives

Cyclopenta[a]naphthalene derivatives

5 The present invention relates to cyclopenta[a]naphthalene derivatives, to liquid-crystalline media comprising these derivatives, and to electro-optical display elements containing these liquid-crystalline media. In particular, the invention relates to cyclopenta[a]naphthalene derivatives of negative dielectric anisotropy.

10 Liquid crystals have found widespread use since the first commercially usable liquid-crystalline compounds were found about 30 years ago. Known areas of application are, in particular, displays for watches and pocket calculators, and large display panels as used in railway stations, airports and sports arenas. Further areas of application are displays of portable computers and navigation systems and video applications. For the
15 last-mentioned applications in particular, high demands are made of the response times and contrast of the images.

20 The spatial arrangement of the molecules in a liquid crystal has the effect that many of its properties are direction-dependent. Of particular importance for use in liquid-crystal displays are the optical, dielectric and elasto-mechanical anisotropies. Depending on whether the molecules are oriented with their longitudinal axes perpendicular or parallel to the two plates of a capacitor, the latter has a different capacitance; in other words, the dielectric constant ϵ of the liquid-crystalline medium has different values for
25 the two orientations. Substances whose dielectric constant is greater when the longitudinal axes of the molecules are oriented perpendicular to the capacitor plates than when they are oriented parallel are referred to as dielectrically positive. In other words, if the dielectric constant $\epsilon_{||}$ parallel to the longitudinal axes of the molecules is greater than the dielectric constant ϵ_{\perp} perpendicular to the longitudinal axes of the molecules, the
30 dielectric anisotropy $\Delta\epsilon = \epsilon_{||} - \epsilon_{\perp}$ is greater than zero. Most liquid crystals used in conventional displays fall into this group.

35 Both the polarisability of the molecule and the permanent dipole moment play a role for the dielectric anisotropy. On application of a voltage to the


display, the longitudinal axis of the molecules orients itself in such a way that the larger of the dielectric constants becomes effective. The strength of the interaction with the electric field depends on the difference between the two constants. In the case of small differences, higher switching volt-
5 ages are necessary than in the case of large differences. The introduction of suitable polar groups, such as, for example, nitrile groups or fluorine, into the liquid-crystal molecules enables a broad range of working voltages to be achieved.

10 In the case of the liquid-crystalline molecules used in conventional liquid-crystal displays, the dipole moment oriented along the longitudinal axis of the molecules is larger than the dipole moment oriented perpendicular to the longitudinal axis of the molecules. The orientation of the larger dipole
15 moment along the longitudinal axis of the molecule also determines the orientation of the molecule in a liquid-crystal display in the field-free state. In the most widespread TN ("twisted nematic") cells, a liquid-crystalline layer with a thickness of only from about 5 to 10 μm is arranged between two plane-parallel glass plates, onto each of which an electrically conduc-
20 tive, transparent layer of tin oxide or indium tin oxide (ITO) has been vapour-deposited as electrode. A likewise transparent alignment layer, usually consisting of a plastic (for example polyimides), is located between these films and the liquid-crystalline layer. This alignment layer serves to bring the longitudinal axes of the adjacent liquid-crystalline molecules into a preferential direction through surface forces in such a way that, in the
25 voltage-free state, they lie uniformly on the inside of the display surface with the same alignment in a flat manner or with the same small tilt angle. Two polarisation films which only enable linear-polarised light to enter and escape are adhesively bonded to the outside of the display in a certain arrangement.

30 By means of liquid crystals in which the larger dipole moment is oriented parallel to the longitudinal axis of the molecule, very high-performance displays have already been developed. In most cases here, mixtures of from 5 to 20 components are used in order to achieve a sufficiently broad
35 temperature range of the mesophase and short response times and low

threshold voltages. However, difficulties are still caused by the strong viewing-angle dependence in liquid-crystal displays as are used, for example, for laptops. The best imaging quality can be achieved if the surface of the display is perpendicular to the viewing direction of the observer. If the display is tilted relative to the observation direction, the imaging quality deteriorates drastically under certain circumstances. For greater comfort, attempts are being made to maximise the angle through which the display can be tilted from the viewing direction of an observer without significantly reducing the imaging quality. Attempts have recently been made to improve the viewing-angle dependence using liquid-crystalline compounds whose dipole moment perpendicular to the longitudinal axis of the molecules is larger than that parallel to the longitudinal axis of the molecule. The dielectric anisotropy $\Delta\epsilon$ is negative. In the field-free state, these molecules are oriented perpendicular to the glass surface of the display. By achieving a plurality of domains, it has been possible to achieve an improvement in the viewing-angle dependence using liquid-crystalline media of negative dielectric anisotropy. This technology can also be used to achieve shorter response times in displays and better contrast values. Displays of this type are known as VA-TFT ("vertically aligned") displays.

DE 44 34 975 A1 discloses tricyclic compounds of the general formula



in which the symbols and indices are defined as follows:


R^1 is -F, -CN, -Cl, -CF₃ or has, independently of R^2 , one of the meanings mentioned for R^2 ;

R^2 is H or a straight-chain or branched alkyl radical having from 1 to 20 carbon atoms (with or without an asymmetrical carbon atom), in which, in

- 4 -

addition, one or more $-\text{CH}_2-$ groups (but not those bonded directly to the five-membered ring) may be replaced by $-\text{O}-$, $-\text{S}-$, $-\text{CH}=\text{CH}-$, $-\text{C}\equiv\text{C}-$, cyclopropane-1,2-diyl, $-\text{Si}(\text{CH}_3)_2-$, 1,4-phenylene, 1,4-cyclohexylene, 1,3-cyclopentylene, 1,3-cyclobutylene or 1,3-dioxane-2,5-diyl, with the proviso that oxygen atoms and sulfur atoms must not be bonded directly, and in which, in addition, one or more H atoms of the alkyl radical may be substituted by F, Cl, Br or OR^3 (where $\text{R}^3 = \text{H}$ or straight-chain $\text{C}_1\text{-C}_6\text{-alkyl}$), or an optically active or racemic group;


Ring B is



A^1 is 1,4-phenylene, 1,4-cyclohexylene, pyridine-2,5-diyl, pyrimidine-2,5-diyl, 1,3,4-thiadiazole-2,5-diyl, 1,3-thiazole-2,5-diyl, 1,3-thiazole-2,4-diyl, in which, in addition, one or more hydrogens may be substituted by F;

M^1 is a single bond, $-\text{C}\equiv\text{C}-$, $-\text{CH}_2\text{CH}_2-$, $-\text{O}-\text{CO}-$, $-\text{CO}-\text{O}-$, $-\text{CO}-$, $-\text{OCH}_2-$, $-\text{CH}_2\text{O}-$ or $-\text{O}-\text{CO}-\text{O}-$; and m is zero or one.

US Patent Application US 2003/0108684 A1 furthermore discloses tricyclic compounds of the general formula



in which the symbols and indices are defined as follows:

R^1 is H, F, CF_3 , OCF_3 , OCF_2H , $OCFH_2$, an alkyl radical or an alkoxy radical or an alkenyl radical or an alkenyloxy radical; R^2 is H or an alkyl radical or an alkoxy radical or an alkenyl radical or an alkenyloxy ad; M^1 is
 -C(=O)O-, -OC(=O)-, -CH₂O-, -OCH₂-, -OCF₂-, -CF₂O-, -C≡C-, -CH₂CH₂-,
 5 -CF₂CF₂-, -CF=CFC(=O)O- or a single bond; M^2 is -C(=O)O-, -OC(=O)-, -CH₂O-, -OCH₂-, -CH₂CH₂-, -CF₂CF₂- or a single bond; A^1 and A^2 are
 phenylene-1,4-diyl or cyclohexane-1,4-diyl, each of which is unsubstituted or mono- or disubstituted by F, or cyclohexene-1,4-diyl or 1,3-dioxane-2,5-
 10 diyl, each of which is unsubstituted or monosubstituted by F; m and n are 0 or 1, where $m+n = 0$ or 1; L^1 , L^2 , L^3 , L^4 and L^5 are, independently of one another, H or F, where at least one of L^1 , L^2 , L^3 , L^4 and L^5 is F, L^1 , L^2 and L^3 are H if L^5 is F, and L^4 and L^5 are H if L^3 is F. The five-membered ring
 fused to the naphthalene structure has (with the exception of two intermediates containing a cyclopentanone ring which are formed in the synthesis
 15 of the above-mentioned compounds) no further substituents apart from the $-(M^2-A^2)_n-R^2$ radical and also contains no further endocyclic double bonds.






However, the dielectric anisotropy $\Delta\epsilon$ of the compounds disclosed in these
 20 two documents is not sufficient to ensure satisfactory properties, in particular sufficiently low characteristic voltages, for example in VA-TFT displays.

Development in the area of liquid-crystalline materials is far from complete.
 25 In order to improve the properties of liquid-crystalline display elements, attempts are constantly being made to develop novel compounds which enable such displays to be optimised.

An object of the present invention is therefore to provide compounds hav-
 30 ing advantageous properties for use in liquid-crystalline media. They should preferably have negative dielectric anisotropy, which makes them particularly suitable for use in liquid-crystalline media for VA displays.


This object is achieved in accordance with the invention by a cyclopenta-
 35 [a]naphthalene derivative of one of the general formulae I, II, III, IV and V

- 6 -




in which:

30



- 7 -



A is in each case, independently of one another, 1,4-phenylene, in which =CH- may be replaced once or twice by =N-, and which may be monosubstituted to tetrasubstituted, independently of one another, by halogen (-F, -Cl, -Br, -I), -CN, -CH₃, -CH₂F, -CHF₂, -CF₃, -OCH₃, -OCH₂F, -OCHF₂ or -OCF₃, 1,4-cyclohexylene, 1,4-cyclohexenylene or 1,4-cyclohexadienylene, in which -CH₂- may in each case be replaced once or twice, independently of one another, by -O- or -S- in such a way that heteroatoms are not linked directly, and which all may be monosubstituted or polysubstituted by halogen;

Z is in each case, independently of one another, a single bond, a double bond, -CF₂O-, -OCF₂-, -CH₂CH₂-, -CF₂CF₂-, -CF₂-CH₂-, -CH₂-CF₂-, -CHF-CHF-, -C(O)O-, -OC(O)-, -CH₂O-, -OCH₂-, -CF=CH-, -CH=CF-, -CF=CF-, -CH=CH- or -C≡C-;

R is hydrogen, an alkyl, alkoxy, alkenyl or alkynyl radical having from 1 to 15 or 2 to 15 carbon atoms respectively which is unsubstituted, monosubstituted by -CF₃ or at least monosubstituted by halogen, where, in addition, one or more CH₂ groups in these radicals may each, independently of one another, be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in such a way that heteroatoms

35

- 8 -

are not linked directly, halogen, -CN, -SCN, -NCS, -SF₅, -CF₃,
-OCF₃, -OCHF₂ or -OCH₂F;

5 X¹, X^{1a}, X^{1b}, X² and X³ are each, independently of one another, hydrogen,
an alkyl, alkoxy, alkenyl or alkynyl radical having from 1 to 15 or
2 to 15 carbon atoms respectively which is unsubstituted or at least
monosubstituted by halogen, where, in addition, one or more CH₂
groups in these radicals may each, independently of one another,
10 be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in such a
way that heteroatoms are not linked directly, halogen, -CN, -SF₅,
-SCN, -NCS, -CF₃, -OCF₃, -OCHF₂ or -OCH₂F;

E¹ and E² are each, independently of one another, hydrogen, an alkyl,
15 alkoxy, alkenyl or alkynyl radical having from 1 to 15 or 2 to 15
carbon atoms respectively which is unsubstituted or at least mono-
substituted by halogen, where, in addition, one or more CH₂
groups in these radicals may each, independently of one another,
be replaced by -O-, -S-, -CO-, -COO-, -OCO- or -OCO-O- in such a
way that heteroatoms are not linked directly, halogen, -CN, -SCN,
20 -NCS, -SF₅, -CF₃, -OCF₃, -OCHF₂, -OCH₂F or -(Z-A)_n-R; and

n is 0, 1, 2 or 3;

where

25 in the formula I, ring B does not stand for the formula **c** if X¹, X² and X³ are
simultaneously hydrogen, and
in the formula I, ring B does not stand for the formula **e** if X² and X³ are
simultaneously fluorine or if E¹ is hydrogen and simultaneously X¹ and X²
30 are fluorine.

Preference is given to cyclopenta[a]naphthalene derivatives of the general
formulae I, III and V, and particular preference is given to cyclopenta[a]-
naphthalene derivatives of the general formulae I and V.

35

The compounds all have negative $\Delta\epsilon$ and are therefore suitable, in particular, for use in VA-TFT displays. The compounds according to the invention preferably have a $\Delta\epsilon$ of < -2 and particularly preferably a $\Delta\epsilon$ of < -5 . The dielectric anisotropy of the compounds according to the invention enables satisfactorily low characteristic voltages to be achieved, in particular in VA-TFT displays. The compounds exhibit very good compatibility with the usual substances used in liquid-crystal mixtures for displays.

Furthermore, the compounds of the formulae I to V according to the invention have values for the optical anisotropy Δn which are particularly suitable for use in VA-TFT displays. The compounds according to the invention preferably have a Δn of greater than 0.02 and less than 0.20, particularly preferably less than 0.15.


The other physical, physicochemical or electro-optical parameters of the compounds according to the invention are also advantageous for use of the compounds in liquid-crystalline media. The compounds have, in particular, a sufficient breadth of the nematic phase and good low-temperature and long-term stability as well as sufficiently high clearing points and good viscosities and response times.

It is preferred for at least one of the radicals X^1 , X^2 and X^3 or X^{1a} , X^{1b} , X^2 and X^3 on the naphthalene structure of the formula I, II, III, IV or V to be other than hydrogen.

It is furthermore preferred for ring B to have at least one electronegative substituent ($-F$ or $=O$). These substituents on ring B are oriented in the same direction, i.e. the same side of the molecule, as the radicals X^1 , X^{1a} , X^{1b} , X^2 and X^3 .


The substituents X^1 , X^{1a} , X^{1b} , X^2 and X^3 , preferably CF_3 , fluorine and/or chlorine substituents, in particular fluorine substituents, in the naphthalene structure and the electronegative atoms in ring B generate a dipole moment perpendicular to the longitudinal axis of the molecules, which can, if desired, be further strengthened by suitable substituents in the wing units

-(Z-A)_n-R. In the field-free state, the compounds of the formulae I to V orient themselves with their longitudinal axis of the molecules perpendicular to the treated or coated glass surface of the display.




In the general formulae I to V, A are preferably, independently of one another (i.e. if $n > 1$, so that a plurality of identical or different rings A are present), optionally substituted 1,4-phenylene, optionally substituted 1,4-cyclohexylene, in which $-CH_2-$ may be replaced once or twice by $-O-$, or optionally substituted 1,4-cyclohexenylene.

A are particularly preferably, independently of one another,



- 11 -



5 A are very particularly preferably 1,4-cyclohexylene rings and/or optionally mono- or poly-fluorine-substituted 1,4-phenylene rings.

If E^1 and/or E^2 are $-(Z-A)_n-R$, A are preferably 1,4-cyclohexylene rings or optionally fluorine-substituted 1,4-phenylene rings.

10 Preferred groups Z in the compounds of the general formulae I to V are each, independently of one another, a single bond, $-CF_2O-$, $-OCF_2-$, $-CF_2CF_2-$, $-CH=CH-$, $-CF=CH-$, $-CH=CF-$ or $-CF=CF-$, particularly preferably a single bond, $-CF_2O-$, $-OCF_2-$, $-CF_2CF_2-$, $-CF=CH-$, $-CH=CF-$ or
 15 $-CF=CF-$. If E^1 and/or E^2 are $-(Z-A)_n-R$, Z is in particular in each case a single bond.

R, E^1 , E^2 , X^1 , X^{1a} , X^{1b} , X^2 and X^3 in the general formulae I to V may each, independently of one another, be an alkyl radical – i.e. an aliphatic saturated hydrocarbon radical – and/or an alkoxy radical (alkyloxy radical) – i.e.
 20 an aliphatic saturated hydrocarbon radical having a terminal O atom – having from 1 to 15 carbon atoms, which is straight-chain or branched. It is preferably straight-chain, has 1, 2, 3, 4, 5, 6 or 7 carbon atoms and accordingly is preferably methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl,
 25 methoxy, ethoxy, propoxy, butoxy, pentoxy, hexoxy or heptoxy.

R, E^1 , E^2 , X^1 , X^{1a} , X^{1b} , X^2 and X^3 may each, independently of one another, be oxaalkyl – i.e. one of the non-terminal CH_2 groups in the alkyl radical has been replaced by $-O-$ – preferably straight-chain 2-oxapropyl
 30 (= methoxymethyl), 2- (= ethoxymethyl) or 3-oxabutyl (= methoxyethyl), 2-, 3- or 4-oxapentyl, 2-, 3-, 4- or 5-oxahexyl or 2-, 3-, 4-, 5- or 6-oxaheptyl. Correspondingly, R, E^1 , E^2 , X^1 , X^{1a} , X^{1b} , X^2 and X^3 may also, independently of one another, be thioalkyl radicals, i.e. alkyl radicals in which a CH_2
 35 group has been replaced by $-S-$.

R, E¹, E², X¹, X^{1a}, X^{1b}, X² and X³ may furthermore each, independently of one another, be an alkenyl radical – i.e. an aliphatic hydrocarbon radical containing at least one C=C double bond – having from 2 to 15 carbon atoms, which is straight-chain or branched and contains at least one C-C double bond. It is preferably straight-chain and has from 2 to 7 carbon atoms. Accordingly, it is preferably vinyl, prop-1- or -2-enyl, but-1-, -2- or -3-enyl, pent-1-, -2-, -3- or -4-enyl, hex-1-, -2-, -3-, -4- or -5-enyl, or hept-1-, -2-, -3-, -4-, -5- or -6-enyl. If the two carbon atoms of the C-C double bond are substituted, the alkenyl radical may be in the form of the E- and/or Z-isomer (trans/cis). The respective E-isomers are generally preferred.

R, E¹, E², X¹, X^{1a}, X^{1b}, X² and X³ may also, independently of one another, be an alkynyl radical having from 2 to 15 carbon atoms, which is straight-chain or branched and contains at least one C-C triple bond.

R, E¹, E², X¹, X^{1a}, X^{1b}, X² and X³ may each, independently of one another, be an alkyl radical having from 1 to 15 carbon atoms in which one CH₂ group has been replaced by -O- and one has been replaced by -CO-, these preferably being adjacent. This thus contains an acyloxy group -CO-O- or an oxycarbonyl group -O-CO-. This radical is preferably straight-chain and has from 2 to 6 carbon atoms. Replacement of a CH₂ group by -CO- with formation of a keto group is also possible. The corresponding radical likewise preferably has from 2 to 6 carbon atoms.

R, E¹, E², X¹, X^{1a}, X^{1b}, X² and X³ may each, independently of one another, be an alkyl radical having from 1 to 15 carbon atoms in which one CH₂ group has been replaced by unsubstituted or substituted -CH=CH- and an adjacent CH₂ group has been replaced by CO or CO-O or O-CO, where this may be straight-chain or branched. The radical is preferably straight-chain and has from 4 to 13 carbon atoms.

R, E¹ and E² may each, independently of one another, be an alkyl radical having from 1 to 15 carbon atoms or alkenyl radical having from 2 to 15 carbon atoms, each of which is monosubstituted by -CN or -CF₃, these

preferably being straight-chain. Substitution by -CN or -CF₃ is possible in any desired position.

5 R, E¹, E², X¹, X^{1a}, X^{1b}, X² and X³ may each, independently of one another, be an alkyl radical in which two or more CH₂ groups have been replaced by -O- and/or -CO-O-, where this may be straight-chain or branched. It is preferably branched and has from 3 to 12 carbon atoms.

10 R, E¹, E², X¹, X^{1a}, X^{1b}, X² and X³ may each, independently of one another, be an alkyl radical or alkoxy radical having from 1 to 15 carbon atoms or alkenyl radical having from 2 to 15 carbon atoms, each of which is at least monosubstituted by halogen, where these radicals are preferably straight-chain and halogen is preferably -F or -Cl. In the case of polysubstitution, halogen is preferably -F. The resultant radicals also include perfluorinated
15 radicals, such as -CF₃ and -OCF₃. In the case of monosubstitution, the fluorine or chlorine substituent can be in any desired position, but is preferably in the ω-position.

20 R in the general formulae I to V is particularly preferably an alkyl radical, alkoxy radical or alkenyl radical having from 1 to 7 or 2 to 7 carbon atoms respectively.

25 E¹ and E² in the general formulae I to V are preferably, independently of one another, hydrogen, an alkyl radical, alkoxy radical or alkenyl radical having from 1 to 7 or 2 to 7 carbon atoms respectively, a halogen or -(Z-A)_n-R, in which n is 1, Z is a single bond, A is 1,4-cyclohexylene or optionally fluorine-substituted 1,4-phenylene, and R is alkyl, alkoxy or alkenyl having from 1 to 7 or 2 to 7 carbon atoms respectively, particularly
30 preferably hydrogen, an alkyl radical or alkoxy radical having from 1 to 7 carbon atoms, fluorine, chlorine, 4-alkyl-substituted 1,4-phenylene or 4-alkyl-substituted 1,4-cyclohexylene, and in particular fluorine.

35 X¹, X^{1a}, X^{1b}, X² and X³ in the general formulae I to V are preferably, independently of one another, hydrogen, an alkyl radical, alkoxy radical or alkenyl radical having from 1 to 7 or 2 to 7 carbon atoms respectively

which is at least monosubstituted by halogen, or a halogen. It is particularly preferred here for at least one of X^1 , X^2 and X^3 or X^{1a} , X^{1b} , X^2 and X^3 to be $-CF_3$, F or Cl. Very particularly preferably, all of X^1 , X^2 and X^3 or X^{1a} , X^{1b} , X^2 and X^3 are $-CF_3$, fluorine or chlorine, and in particular all are fluorine.

5

Preferred compounds of the general formulae I to V contain a total of zero, one or two wing units ZA, i.e. $n = 0, 1$ or 2 . If a wing group ZA is present ($n = 1$), it can be bonded to the cyclopentane ring or to the naphthalene structure ($E^1, E^2 = -Z-A-R$). If n is 2 or 3 , the two or three wing groups ZA may be bonded to only one side of the molecule – to the cyclopentane ring or as E^1 or E^2 to the naphthalene structure – or alternatively to both sides of the molecule – to the cyclopentane ring and as E^1 or E^2 to the naphthalene structure. n is particularly preferably 0 or 1 .

10

15

In connection with the present invention, halogen is fluorine, chlorine, bromine or iodine.

20

The compounds of the general formulae I to V are prepared by methods known per se, as described in the literature (for example in the standard works, such as Houben-Weyl, Methoden der organischen Chemie [Methods of Organic Chemistry], Georg-Thieme-Verlag, Stuttgart), to be precise under reaction conditions which are known and suitable for the said reactions. Use can be made here of variants which are known per se, but are not mentioned here in greater detail.

25


If desired, the starting materials can also be formed in situ by not isolating them from the reaction mixture, but instead immediately converting them further into the compounds of the general formulae I to V.


30

The syntheses of various polysubstituted naphthalene derivatives which are used to build up the five-membered ring are described by way of example in the examples. The starting substances are obtainable by generally accessible literature procedures or are commercially available. The reactions described should likewise be regarded as known from the literature.

35

An illustrative synthesis for building up the five-membered ring is shown below. The synthesis can be adapted to the particular desired compounds of the general formulae I to V through the choice of suitable starting materials.






5

H

Starting from the 4-bromonaphthalene derivative **A**, reaction with an α,β -unsaturated aldehyde **B** in the presence of lithium diisopropylamide (LDA) gives compound **C**. This reacts with palladium catalysis in the presence of triethylamine with ring closure to give the ketone **D** (= compound 1e). Starting from the ketone **D** and 1,3-propanedithiol in the presence of BF_3 /diethyl ether, the corresponding dithiane **E** is obtained. This is reacted with 1,3-dibromo-5,5-dimethylhydantoin (DBH) and HF in pyridine to give the cyclopenta[a]naphthalene derivative **F**. Elimination of HBr in the presence of diazabicycloundecene (DBU) gives the cyclopenta[a]naphthalene derivative **G** (= compound 1b). The cyclopenta[a]naphthalene derivative **G** is hydrogenated on a palladium/carbon catalyst in a hydrogen atmosphere to give the cyclopenta[a]naphthalene derivative **H** (= compound 1a).


20



25


D**J**

30

**K**


35

- 17 -



10 Starting from the ketone **D** (which, in addition, can also be prepared analogously to US 2003/0108684 A1, scheme 4), reduction, for example using LiAlH_4 , firstly gives access to the alcohol **J**, from which on the one hand the cyclopenta[a]naphthalene derivative **K** (= compound Ii) is accessible by subsequent elimination using acid and on the other hand the cyclopenta[a]naphthalene derivative **L** (= compound If) is accessible using DAST (diaminosulfur trifluoride; cf. M. Hudlicky, Organic Reactions, 35, 1988, 513) analogously to DE 44 34 975 A1.

15



25 Starting from the ketone **D**, the cyclopenta[a]naphthalene derivative **M** (= compound Ih) is furthermore accessible by reaction with DAST analogously to the process disclosed in DE 44 34 975 A1.

30 The reactions described should only be regarded as illustrative. The person skilled in the art can carry out corresponding variations of the syntheses described and also follow other suitable synthetic routes in order to obtain compounds of the formulae I to V.

35 As already mentioned, the compounds of the general formulae I to V can be used in liquid-crystalline media.

The present invention therefore also relates to a liquid-crystalline medium comprising at least two liquid-crystalline compounds, comprising at least one compound of the general formulae I to V.

5 The present invention also relates to liquid-crystalline media comprising from 2 to 40, preferably from 4 to 30, components as further constituents besides one or more compounds of the formulae I, II, III, IV and/or V according to the invention. These media particularly preferably comprise from 7 to 25 components besides one or more compounds according to the invention.

10 These further constituents are preferably selected from nematic or nematogenic (monotropic or isotropic) substances, in particular substances from the classes of the azoxybenzenes, benzylideneanilines, biphenyls, terphenyls, phenyl or cyclohexyl benzoates, phenyl or cyclohexyl esters of cyclohexanecarboxylic acid, phenyl or cyclohexyl esters of cyclohexylbenzoic acid,

15 phenyl or cyclohexyl esters of cyclohexylcyclohexanecarboxylic acid, cyclohexylphenyl esters of benzoic acid, of cyclohexanecarboxylic acid or of cyclohexylcyclohexanecarboxylic acid, phenylcyclohexanes, cyclohexylbiphenyls, phenylcyclohexylcyclohexanes, cyclohexylcyclohexanes, cyclohexylcyclohexylcyclohexenes, 1,4-biscyclohexylbenzenes, 4',4'-

20 biscyclohexylbiphenyls, phenyl- or cyclohexylpyrimidines, phenyl- or cyclohexylpyridines, phenyl- or cyclohexyldioxanes, phenyl- or cyclohexyl-1,3-dithianes, 1,2-diphenylethanes, 1,2-dicyclohexylethanes, 1-phenyl-2-cyclohexylethanes, 1-cyclohexyl-2-(4-phenylcyclohexyl)ethanes, 1-cyclohexyl-2-biphenylethanes, 1-phenyl-2-cyclohexylphenylethanes, optionally halogenated stilbenes, benzyl phenyl ethers, tolans and substituted cinnamic acids,

25 as well as corresponding compounds in which two carbocyclic and/or heterocyclic rings or ring systems (for example cyclohexyls, phenyls, dioxanes, tetrahydropyrans) are linked via a difluorooxymethylene bridge (-CF₂O-). The 1,4-phenylene groups in these compounds may also be

30 mono- or polyfluorinated.

The most important compounds suitable as further constituents of media according to the invention can be characterised by the formulae (VI), (VII), (VIII), (IX) and (X):

35

	R'-L-E-R"	(VI)
	R'-L-COO-E-R"	(VII)
	R'-L-OOC-E-R"	(VIII)
	R'-L-CH ₂ CH ₂ -E-R"	(IX)
5	R'-L-CF ₂ O-E-R"	(X)


In the formulae (VI), (VII), (VIII), (IX) and (X), L and E, which may be identical or different, are each, independently of one another, a divalent radical from the group formed by -Phe-, -Cyc-, -Phe-Phe-, -Phe-Cyc-, -Cyc-Cyc-,
 10 -Pyr-, -Dio-, -Thp-, -G-Phe- and -G-Cyc- and their mirror images, where Phe is unsubstituted or fluorine-substituted 1,4-phenylene, Cyc is trans-1,4-cyclohexylene or 1,4-cyclohexylene, Pyr is pyrimidine-2,5-diyl or pyridine-2,5-diyl, Dio is 1,3-dioxane-2,5-diyl, Thp- is tetrahydropyran-2,5-diyl and G is 2-(trans-1,4-cyclohexyl)ethyl, pyrimidine-2,5-diyl, pyridine-2,5-diyl or 1,3-
 15 dioxane-2,5-diyl.

One of the radicals L and E is preferably Cyc or Phe. E is preferably Cyc, Phe or Phe-Cyc. The media according to the invention preferably comprise one or more components selected from the compounds of the formulae (VI),
 20 (VII), (VIII), (IX) and (X) in which L and E are selected from the group consisting of Cyc and Phe and simultaneously one or more components selected from the compounds of the formulae (VI), (VII), (VIII), (IX) and (X) in which one of the radicals L and E is selected from the group consisting of Cyc and Phe and the other radical is selected from the group consisting of
 25 -Phe-Phe-, -Phe-Cyc-, -Cyc-Cyc-, -G-Phe- and -G-Cyc-, and optionally one or more components selected from the compounds of the formulae (VI), (VII), (VIII), (IX) and (X) in which the radicals L and E are selected from the group consisting of -Phe-Cyc-, -Cyc-Cyc-, -G-Phe- and -G-Cyc-.

30 In a smaller sub-group of the compounds of the formulae (VI), (VII), (VIII), (IX) and (X), R' and R" are each, independently of one another, alkyl; alkenyl, alkoxy, alkoxyalkyl (oxaalkyl), alkenyloxy or alkanoyloxy having up to 8 carbon atoms. This smaller sub-group is called group A below, and the compounds are referred to by the sub-formulae (VIa), (VIIa), (VIIIa), (IXa)
 35 and (Xa). In most of these compounds, R' and R" are different from one

another, one of these radicals usually being alkyl, alkenyl, alkoxy or alkoxy-alkyl (oxaalkyl).

5 In another smaller sub-group of the compounds of the formulae (VI), (VII), (VIII), (IX) and (X), which is known as group B, E is



10

In the compounds of group B, which are referred to by the sub-formulae (VIb), (VIIb), (VIIIb), (IXb) and (Xb), R' and R'' are as defined for the compounds of the sub-formulae (VIa) to (Xa) and are preferably alkyl, alkenyl, alkoxy or alkoxyalkyl (oxaalkyl).

15

In a further smaller sub-group of the compounds of the formulae (VI), (VII), (VIII), (IX) and (X), R'' is -CN. This sub-group is referred to below as group C, and the compounds of this sub-group are correspondingly described by sub-formulae (VIc), (VIIc), (VIIIc), (IXc) and (Xc). In the compounds of the sub-formulae (VIc), (VIIc), (VIIIc), (IXc) and (Xc), R' is as defined for the compounds of the sub-formulae (VIa) to (Xa) and is preferably alkyl, alkenyl, alkoxy or alkoxyalkyl (oxaalkyl).

20

25 Besides the preferred compounds of groups A, B and C, other compounds of the formulae (VI), (VII), (VIII), (IX) and (X) having other variants of the proposed substituents are also customary. All these substances are obtainable by methods which are known from the literature or analogously thereto.

30 Besides the compounds of the general formulae I, II, III, IV and/or V according to the invention, the media according to the invention preferably comprise one or more compounds from groups A, B and/or C. The proportions by weight of the compounds from these groups in the media according to the invention are:

35

group A: from 0 to 90%, preferably from 20 to 90%, in particular from 30 to 90%





group B: from 0 to 80%, preferably from 10 to 80%, in particular from 10 to 70%

5 group C: from 0 to 80%, preferably from 5 to 80%, in particular from 5 to 50%.









10 The media according to the invention preferably comprise from 1 to 40%, particularly preferably from 5 to 30%, of the compounds of the formulae I, II, III, IV and/or V according to the invention. Preference is furthermore given to media comprising more than 40%, in particular from 45 to 90%, of compounds of the formulae I, II, III, IV and/or V according to the invention. The media preferably comprise one, two, three, four or five compounds of the formulae I, II, III, IV and/or V according to the invention.

15


Examples of the compounds of the formulae (VI), (VII), (VIII), (IX) and (X) are the compounds listed below:




- 22 -




- 23 -




5




10




15



20




25




where R^1 and R^2 , independently of one another, are $-\text{C}_n\text{H}_{2n+1}$ or $-\text{OC}_n\text{H}_{2n+1}$, and $n = 1, 2, 3, 4, 5, 6, 7$ or 8 , and L^1 and L^2 , independently of one another, are $-\text{H}$ or $-\text{F}$,

30




35


- 24 -




- 25 -



5



10



15

where m and n , independently of one another, are 1, 2, 3, 4, 5, 6, 7 or 8.

The media according to the invention are prepared in a manner conventional per se. In general, the components are dissolved in one another, advantageously at elevated temperature. By means of suitable additives, the liquid-crystalline phases of the present invention can be modified in such a way that they can be used in all types of liquid-crystal display element that have been disclosed hitherto. Additives of this type are known to the person skilled in the art and are described in detail in the literature (H. Kelker/R. Hatz, Handbook of Liquid Crystals, Verlag Chemie, Weinheim, 1980). For example, pleochroic dyes can be used for the preparation of coloured guest-host systems or substances can be added in order to modify the dielectric anisotropy, the viscosity and/or the alignment of the nematic phases.

Owing to their negative $\Delta\epsilon$, the compounds of the formulae I to V are particularly suitable for use in VA-TFT displays.

35

- 26 -

The present invention therefore also relates to electro-optical liquid-crystal display elements containing a liquid-crystalline medium according to the invention.

5 The invention is explained in greater detail below with reference to working examples, but without being restricted thereby.


Examples

10 The starting substances can be obtained by generally accessible literature procedures or are commercially available. The reactions described are known from the literature.

Example 1

15

20




25

30


38.8 ml (95.0 mmol) of a 2.5M butyllithium solution in hexane were added at -75°C to a solution of 25.0 g (92.0 mmol) of the aromatic compound 1 in 200 ml of diethyl ether, and the mixture was stirred for 1 hour. 13.4 ml (120 mmol) of formylpiperidine (2) in 15 ml of diethyl ether were subsequently added at T < -55°C. After a further hour, the batch was warmed to room temperature, water was added, and the mixture was acidified. Extraction, drying, evaporation and chromatography on silica gel gave 14.2 g (70%) of the aldehyde 3.

35


- 27 -



10 200 ml (100 mmol) of a 0.5M solution of the zinc compound 4 in THF were added at -75°C to a solution of 26.8 g (98.5 mmol) of the aldehyde 3 in 100 ml of THF. After 30 minutes, the cooling was removed. Water was added to the thawed batch, which was then acidified using 1N HCl solution and extracted with methyl tert-butyl ether. Drying, evaporation and chromatography on silica gel gave 28.6 g (90%) of the hydroxy ester 5.




25 20.0 g (61.9 mmol) of the hydroxy ester 5 were dissolved in 200 ml of toluene, 1 g of p-toluenesulfonic acid was added, and the mixture was refluxed until the water separation was complete. Evaporation and filtration through silica gel gave 16.4 g (87%) of the ester 6.



15.0 g (49.2 mmol) of the unsaturated ester 6 were hydrogenated on a


- 28 -

palladium catalyst (5%/C) in tetrahydrofuran (THF). Yield: 14.5 g (96%) of the ester **7**.



15

9.0 g (29.3 mmol) of the ester **7** were added at 60°C to 100 g of polyphosphoric acid. The temperature was subsequently increased to 120°C for 4 hours. After cooling, the batch was added to ice and extracted with methyl tert-butyl ether. Drying, evaporation and crystallisation gave 4.8 g (63%) of the ketone **8**.



25

30

5.0 g (19.2 mmol) of the oxo compound **8** were dissolved in 40 ml of diethylene glycol dimethyl ether, and 2.3 g (58.5 mmol) of sodium borohydride were added with ice-cooling. 9 ml of boron trifluoride/diethyl ether complex were subsequently added. After 2 hours at room temp., the batch was added to sat. sodium hydrogencarbonate solution. The aqueous phase was extracted with dichloromethane. Drying, evaporation and chromatography on silica gel gave 4.3 g (90%) of the tetrahydronaphthalene **9**.


35

Compounds according to the invention are accessible from compounds **8** and **9** or analogous compounds, as is evident to the person skilled in the

art, inter alia from the description and the further examples.


Example 2

5



A solution of 10.6 g (32.7 mmol) of the hydroxy ester **5** was added at room temp. to a suspension of 40.0 mmol of PCC on 50 g of Celite® in 150 ml of dichloromethane. When the reaction was complete (TLC), the batch was filtered, and the filter cake was washed with methylene chloride. Evaporation and chromatography on silica gel gave 10.1 g (96%) of the oxo ester **10**.


20




The ring closure was carried out as described above for compound **7**.
Yield: 61%.

35

- 30 -




10 8.6 g (31.1 mmol) of the dione **11** were dissolved in 150 ml of ethanol, and 2.4 g (65.0 mmol) of sodium borohydride were added in portions. When the reaction was complete (TLC), the batch was hydrolysed using water, the ethanol was removed under reduced pressure, and the residue was taken up in water and extracted with toluene. After evaporation, the product **12** was employed in the next step without further purification.



20 10.0 g of the crude diol **12** were dissolved in 200 ml of toluene, 1 g of p-toluenesulfonic acid was added, and the mixture was refluxed until the water separation was complete. Evaporation and filtration through silica gel gave 8.0 g (92%) of the naphthalene **13**. Compounds according to the invention are accessible therefrom (or from analogous compounds), as is evident to the person skilled in the art, inter alia from the description and the further examples.


30

35

Example 3

10 30 ml of boron trifluoride/diethyl ether complex were added under nitrogen to a solution of 13.1 g (50.0 mmol) of the ketone **8** and 8.4 ml (100 mmol) of the dithiol in 150 ml of dichloromethane, and the mixture was stirred overnight. The batch was added slowly to sat. sodium hydrogencarbonate solution and deacidified. Drying, evaporation and chromatography on silica

15 gel gave 17.2 g (92%) of the protected ketone **14**.




25 A solution of 9.3 g (25.0 mmol) of the dithiolane **14** in 60 ml of dichloromethane was added at -75°C to a suspension of 30.2 g (105.2 mmol) of 1,3-dibromo-5,5-dimethylhydantoin in 60 ml of dichloromethane and 120 ml of a 65% solution of hydrogen fluoride in pyridine. The batch was slowly warmed to 0°C over the course of 3 hours and added to 1500 ml of ice-cooled 2N sodium hydroxide solution to which 120 ml of 39% sodium


30 hydrogensulfite solution had been added. The pH was adjusted to 8, and the aqueous phase was extracted with methylene chloride. Drying, evaporation and chromatography on silica gel gave 5.2 g (73%) of the fluorinated aromatic compound **15**. Compounds according to the invention are accessible therefrom (or from analogous compounds), as is evident to the

person skilled in the art, inter alia from the description and the further examples.


5 Example 4



The synthesis is carried out in accordance with the reactions described above, with the elimination of water from 19 to give 20 likewise being effected using p-toluenesulfonic acid. Overall yield: 30%.

Example 5


10 A solution of 9.0 g (23.6 mmol) of **15** in 50 ml of THF was slowly added to a suspension of 4.5 g (40.1 mmol) of potassium tert-butoxide in 50 ml of THF, and the mixture was subsequently refluxed overnight. The cooled batch was diluted with water and extracted with diethyl ether. Drying,
15 evaporation and chromatography on silica gel gave 7.2 g (85%) of the styrene derivative **22**.

Example 6

25 The reaction was carried out as described above. Yield: 81%. Compounds according to the invention are accessible from compounds **20**, **21** and **22** (or analogous compounds), as is evident to the person skilled in the art, inter alia from the description and the following examples.


30

35

Example 7


10 A solution of 13.5 g (60.0 mmol) of the bromofluoronaphthalene **24** in 10 ml of THF is added at -75°C to 27.0 ml of a solution of 2N lithium diisopropylamide (LDA) in cyclohexane/ethylbenzene/THF (52.4 mmol) which has been diluted with 100 ml of THF. After 2 hours at the low temperature, 8.5 g (47.3 mmol) of the aldehyde **23** in 10 ml of THF are added. After 30 minutes, the cooling is removed, and 100 ml of 1N HCl are added to the batch at 20°C. Extraction of the aqueous phase, drying of the organic phase, evaporation and chromatography gives the allyl alcohol **25**.

15




25 35.0 g (86.6 mmol) of the allyl alcohol **25**, 5.5 g of bis(tri-*o*-tolylphosphine)-palladium dichloride and 50 ml of triethylamine are dissolved in 390 ml of acetonitrile and heated to 90°C until the allyl alcohol has completely reacted. The cooled batch is introduced into water. Extraction, drying, evaporation and chromatography gives the ketone **26**.

30


Example 8

10 10.0 g (30.8 mmol) of the ketone **26** and 3.2 ml (31.0 mmol) of propane-
 11 dithiol are dissolved in 50 ml of dichloromethane, 7.0 ml of boron
 12 trifluoride/diethyl ether complex are added at from 6 to 7°C, and the mix-
 13 ture is subsequently stirred overnight at room temperature. The batch is
 14 introduced into 10 ml of saturated sodium hydrogencarbonate solution and
 15 stirred until the evolution of gas is complete. After extraction of the aque-
 16 ous phase, drying of the organic phase, evaporation and filtration through
 17 silica gel, the resultant residue is employed in the next step without further
 18 purification.



25 10.0 g of the crude thioketal **27**, dissolved in 30 ml of dichloromethane, are
 26 added slowly at -75°C to a mixture of 28.6 g (100 mmol) of 1,3-dibromo-
 27 5,5-dimethylhydantoin (DBH), 80 ml of a 65% solution of hydrogen fluoride
 28 in pyridine and 50 ml of dichloromethane. The batch is subsequently
 29 stirred overnight at room temperature. The reaction mixture is added to
 30 ice-cooled hydrogen sulfite solution and deacidified using saturated
 31 sodium hydrogencarbonate solution and sodium hydroxide solution.
 32 Extraction, drying, evaporation, re-washing with water, chromatography
 33 and crystallisation from hexane gives the cyclopenta[a]naphthalene deriva-
 34 tive **28**.


- 36 -



10 6.0 g (14.1 mmol) of the cyclopenta[a]naphthalene derivative **28** are dissolved in 50 ml of dichloromethane, 2.4 ml (16.0 mmol) of 1,8-diaza-bicyclo[5.4.0]undec-7-ene (DBU) are added, and the mixture is stirred at room temperature until the starting material has completely reacted. The batch is washed with water and saturated sodium chloride solution, evaporated and chromatographed. The cyclopenta[a]naphthalene derivative **29**


15 is isolated.

Example 9



30 4.0 g (11.6 mmol) of the cyclopenta[a]naphthalene derivative **29** are dissolved in 50 ml of THF and hydrogenated at room temperature and atmospheric pressure on a palladium catalyst. Evaporation, chromatography on silica gel and crystallisation gives the cyclopenta[a]naphthalene derivative **30**.


35

Example 10

10 The cyclopenta[a]naphthalene derivative **31** prepared analogously to Examples 7 to 9 was converted into the cyclopenta[a]naphthalene derivative **32** as follows: under nitrogen and at -70°C , 4.5 ml (7.20 mmol) of a 15% solution of butyllithium in *n*-hexane were added to a solution of 2.5 g (7.18 mmol) of the naphthalene derivative **31** in 60 ml of THF. After 1 hour,

15 0.91 ml (8.0 mmol) of trimethyl borate was added to the batch. When the addition was complete, the cooling was removed, and the batch was hydrolysed at 10°C . The reaction mixture was acidified using 2N HCl solution. The aqueous phase was extracted with methyl tert-butyl ether. The organic phase was washed with sat. NaCl solution, dried over sodium sulfate and evaporated. The residue, which contained the boronic acid **32**,

20 was employed in the next step without further purification.




30 1.3 g (5.0 mmol) of sodium metaborate octahydrate were dissolved in 2.0 ml of water under a nitrogen atmosphere, and 83 mg of bis(triphenylphosphine)palladium(II) chloride, 50 μl of hydrazinium hydroxide and 1.11 g (6.0 mmol) of *p*-bromoethylbenzene were added successively. After 5 minutes at room temperature, 2.1 g (6.0 mmol) of the boronic acid dissolved in 3.75 ml of THF were added to the batch, and the mixture was

35

heated at the boil overnight. The aqueous phase was extracted with methyl tert-butyl ether, and the organic phase was washed with water, dried and evaporated. The purification was carried out by means of multiple chromatography on silica gel (heptane).

Example 11



The cyclopenta[a]naphthalene derivative **31** was converted into the cyclopenta[a]naphthalene derivative **35** as follows:


25 Under nitrogen and at -70°C, 4.5 ml (7.20 mmol) of a 15% solution of butyllithium in *n*-hexane were added to a solution of 2.5 g (7.18 mmol) of the naphthalene derivative **31** in 60 ml of THF. After 1 hour, 1.1 g (8.0 mmol) of 4-propylcyclohexanone in 5 ml of THF were added to the batch. After 1 hour, the cooling was removed, and the batch was hydro-
30 lysed at 10°C. The reaction mixture was acidified using 2N HCl solution. The aqueous phase was extracted with methyl tert-butyl ether. The organic phase was washed with sat. NaCl solution, dried over sodium sulfate and evaporated. The residue was passed through silica gel (methyl tert-butyl
35 ether/heptane 1:10).

A mixture of 50 ml of pyridine and 50 ml of phosphoryl chloride was added to a solution of 3.6 g (7.0 mmol) of the benzyl alcohol **34** in 30 ml of pyridine at such a rate that the batch boiled. After 4 hours, the batch was carefully poured into ice/water. The aqueous phase was extracted with dichloromethane; the organic phase was washed with sat. NaCl solution, dried over sodium sulfate, evaporated and passed through silica gel (hexane). 2.0 g (4.0 mmol) of the resultant elimination product were dissolved in 20 ml of THF and hydrogenated on a Pd catalyst until the uptake of hydrogen was complete. The catalyst was separated off, and the solution was evaporated. The residue was passed through silica gel (hexane), giving **35** after removal of the solvent.

Example 12

15

20



25

30


5.0 g (19.2 mmol) of the ketone **8**, dissolved in 30 ml of THF, were added at -70°C to a mixture of 40 ml of THF, 5.2 ml (41.2 mmol) of trimethylsilyl chloride and 10.3 ml (20 mmol) of a 2M solution of lithium diisopropylamide. After 30 minutes, 40 ml of triethylamine and sat. sodium hydrogen-carbonate solution were added to the batch. The aqueous phase was extracted with methyl tert-butyl ether. The organic phase was dried over sodium sulfate, evaporated and filtered through silica gel (methyl tert-butyl ether/pentane 1:20).

35


The residue was taken up in 40 ml of THF, and a solution of 4.9 g (20.0 mmol) of m-chloroperbenzoic acid in 20 ml of THF was added at 0°C. After 1 hour, water was added to the batch, which was then extracted

- 40 -

with methyl tert-butyl ether. The organic phase was dried over sodium sulfate, evaporated and filtered through silica gel (methyl tert-butyl ether/heptane 1:5), giving 4.4 g (80%) of the hydroxy ketone **36**.



The synthesis of the thioketal **37** was carried out as already described in Example 3 for compound **14**.




25 A solution of 14.1 g (40.0 mmol) of the thioketal **37** in 20 ml of THF was added to a suspension of 1.8 g (60%, 45.7 mmol) of sodium hydride in 40 ml of THF. After 2 hours, 500 mg of tetrabutylammonium iodide and 5.5 ml (45.7 mmol) of benzyl bromide in 20 ml of THF were added to the suspension. The batch was stirred overnight and subsequently carefully hydrolysed. The aqueous phase was extracted with methyl tert-butyl ether.

30 The organic phase was dried over sodium sulfate, evaporated and passed through silica gel (methyl tert-butyl ether/heptane 1:20), giving 16.1 g (91%) of the benzyl ether **38**.

35

The alcohol **39** can be prepared from **38** analogously to the processes of Examples 7 to 9. During the preparation of the intermediate thioketal, the benzyl ether is cleaved. The protecting group must then be re-introduced in the manner already described.


5



15 A mixture of 50 ml of pyridine and 50 ml of phosphoryl chloride was added to a solution of 2.9 g (7.0 mmol) of the naphthalene **39** in 30 ml of pyridine at such a rate that the batch boiled. After 4 hours, the batch was carefully poured onto ice. The aqueous phase was extracted with dichloromethane, and the organic phase was washed with sat. NaCl solution, dried over

20 sodium sulfate, evaporated and passed through silica gel (hexane), giving 1.7 g (62%) of the unsaturated compound **40**.


Example 13




The synthesis is carried out in accordance with the procedure indicated above in Example 12 for compound **38**.

35

- 42 -



10 An ethanolic potassium hydroxide solution was added to 7.3 g (17.7 mmol) of the ester **41**, and the mixture was refluxed until the reaction was complete (TLC). The alcohol was removed in a rotary evaporator. The residue was taken up in water and acidified. After extraction with methyl tert-butyl ether, the organic phase was dried over sodium sulfate, and the solvent was removed. Thionyl chloride and one drop of DMF were added to the resultant residue, and the mixture was refluxed until the evolution of gas was complete. Excess thionyl chloride was distilled off. The crude product **42** was employed in the next step without further purification.




30 A solution of the acid chloride **42** in 50 ml of dichloromethane was added slowly at 0°C to a suspension of 4 g of aluminium chloride in 50 ml of dichloromethane. When the addition was complete, the reaction was monitored by TLC. When the reaction was complete, ice was carefully added to the batch. When the evolution of HCl had subsided, the mixture was diluted with water and acidified. The aqueous phase was extracted with dichloromethane. The organic phase was washed with sat. sodium

35


- 43 -

chloride solution, dried over sodium sulfate and evaporated. The residue was passed through silica gel (methyl tert-butyl ether/heptane 1:5).



11.0 g (30.0 mmol) of the ketone **43** and 4.3 ml (90.0 mmol) of hydrazinium hydroxide were added to a solution of 6.7 g of potassium hydroxide in 50 ml of diethylene glycol. The batch was slowly heated to 180°C. When the evolution of nitrogen was complete and after cooling to room temperature, the batch was diluted with water and extracted a number of times with methyl tert-butyl ether. The organic phase was dried over sodium sulfate, evaporated and passed through silica gel (methyl tert-butyl ether/heptane 1:20), giving 6.4 g (60%) of the benzyl ether **44**.

The alcohol **45** can be prepared from **44** analogously to the processes of Examples 7 to 9. During the preparation of the intermediate thioketal, the benzyl ether is cleaved. The protecting group must then be re-introduced in the manner already described.




The synthesis of compound **46** was carried out analogously to the method indicated in Example 12.

The following compounds are prepared analogously to Examples 1 to 13.
 "bond" here stands for a single bond:

5

Examples 14-110

10



15

20

25

30

35


Example	E ¹	X ¹	X ²	X ³	R
14	H	H	H	H	CH ₃
15	H	H	H	H	C ₂ H ₅
16	H	H	H	H	n-C ₃ H ₇
17	H	H	H	H	n-C ₄ H ₉
18	H	H	H	H	n-C ₅ H ₁₁
19	H	H	H	H	n-C ₆ H ₁₃
20	H	H	H	H	n-C ₇ H ₁₅
21	H	H	H	F	CH ₃
22	H	H	H	F	C ₂ H ₅
23	H	H	H	F	n-C ₃ H ₇
24	H	H	H	F	n-C ₄ H ₉
25	H	H	H	F	n-C ₅ H ₁₁
26	H	H	H	F	n-C ₆ H ₁₃
27	H	H	H	F	n-C ₇ H ₁₅
28	H	H	F	F	CH ₃
29	H	H	F	F	C ₂ H ₅
30	H	H	F	F	n-C ₃ H ₇
31	H	H	F	F	n-C ₄ H ₉
32	H	H	F	F	n-C ₅ H ₁₁
33	H	H	F	F	n-C ₆ H ₁₃
34	H	H	F	F	n-C ₇ H ₁₅

Example	E ¹	X ¹	X ²	X ³	R
35	H	F	F	F	CH ₃
36	H	F	F	F	C ₂ H ₅
37	H	F	F	F	n-C ₄ H ₉
38	H	F	F	F	n-C ₅ H ₁₁
39	H	F	F	F	n-C ₆ H ₁₃
40	H	F	F	F	n-C ₇ H ₁₅
41	CH ₃	H	F	F	CH ₃
42	CH ₃	H	F	F	C ₂ H ₅
43	CH ₃	H	F	F	n-C ₃ H ₇
44	CH ₃	H	F	F	n-C ₄ H ₉
45	CH ₃	H	F	F	n-C ₅ H ₁₁
46	CH ₃	H	F	F	n-C ₆ H ₁₃
47	CH ₃	H	F	F	n-C ₇ H ₁₅
48	CH ₃	F	F	F	CH ₃
49	CH ₃	F	F	F	C ₂ H ₅
50	CH ₃	F	F	F	n-C ₃ H ₇
51	CH ₃	F	F	F	n-C ₄ H ₉
52	CH ₃	F	F	F	n-C ₅ H ₁₁
53	CH ₃	F	F	F	n-C ₆ H ₁₃
54	CH ₃	F	F	F	n-C ₇ H ₁₅
55	C ₂ H ₅	H	F	F	CH ₃
56	C ₂ H ₅	H	F	F	C ₂ H ₅
57	C ₂ H ₅	H	F	F	n-C ₃ H ₇
58	C ₂ H ₅	H	F	F	n-C ₄ H ₉
59	C ₂ H ₅	H	F	F	n-C ₅ H ₁₁
60	C ₂ H ₅	H	F	F	n-C ₆ H ₁₃
61	C ₂ H ₅	H	F	F	n-C ₇ H ₁₅
62	C ₂ H ₅	F	F	F	CH ₃
63	C ₂ H ₅	F	F	F	C ₂ H ₅
64	C ₂ H ₅	F	F	F	n-C ₃ H ₇
65	C ₂ H ₅	F	F	F	n-C ₄ H ₉
66	C ₂ H ₅	F	F	F	n-C ₅ H ₁₁
67	C ₂ H ₅	F	F	F	n-C ₆ H ₁₃

Example	E ¹	X ¹	X ²	X ³	R
68	C ₂ H ₅	F	F	F	n-C ₇ H ₁₅
69	n-C ₃ H ₇	H	F	F	CH ₃
70	n-C ₃ H ₇	H	F	F	C ₂ H ₅
71	n-C ₃ H ₇	H	F	F	n-C ₃ H ₇
72	n-C ₃ H ₇	H	F	F	n-C ₄ H ₉
73	n-C ₃ H ₇	H	F	F	n-C ₅ H ₁₁
74	n-C ₃ H ₇	H	F	F	n-C ₆ H ₁₃
75	n-C ₃ H ₇	H	F	F	n-C ₇ H ₁₅
76	n-C ₃ H ₇	F	F	F	CH ₃
77	n-C ₃ H ₇	F	F	F	C ₂ H ₅
78	n-C ₃ H ₇	F	F	F	n-C ₃ H ₇
79	n-C ₃ H ₇	F	F	F	n-C ₄ H ₉
80	n-C ₃ H ₇	F	F	F	n-C ₅ H ₁₁
81	n-C ₃ H ₇	F	F	F	n-C ₆ H ₁₃
82	n-C ₃ H ₇	F	F	F	n-C ₇ H ₁₅
83	n-C ₄ H ₉	H	F	F	CH ₃
84	n-C ₄ H ₉	H	F	F	C ₂ H ₅
85	n-C ₄ H ₉	H	F	F	n-C ₃ H ₇
86	n-C ₄ H ₉	H	F	F	n-C ₄ H ₉
87	n-C ₄ H ₉	H	F	F	n-C ₅ H ₁₁
88	n-C ₄ H ₉	H	F	F	n-C ₆ H ₁₃
89	n-C ₄ H ₉	H	F	F	n-C ₇ H ₁₅
90	n-C ₄ H ₉	F	F	F	CH ₃
91	n-C ₄ H ₉	F	F	F	C ₂ H ₅
92	n-C ₄ H ₉	F	F	F	n-C ₃ H ₇
93	n-C ₄ H ₉	F	F	F	n-C ₄ H ₉
94	n-C ₄ H ₉	F	F	F	n-C ₅ H ₁₁
95	n-C ₄ H ₉	F	F	F	n-C ₆ H ₁₃
96	n-C ₄ H ₉	F	F	F	n-C ₇ H ₁₅
97	n-C ₅ H ₁₁	H	F	F	CH ₃
98	n-C ₅ H ₁₁	H	F	F	C ₂ H ₅
99	n-C ₅ H ₁₁	H	F	F	n-C ₃ H ₇
100	n-C ₅ H ₁₁	H	F	F	n-C ₄ H ₉

Example	E ¹	X ¹	X ²	X ³	R
101	n-C ₅ H ₁₁	H	F	F	n-C ₅ H ₁₁
102	n-C ₅ H ₁₁	H	F	F	n-C ₆ H ₁₃
103	n-C ₅ H ₁₁	H	F	F	n-C ₇ H ₁₅
104	n-C ₅ H ₁₁	F	F	F	CH ₃
105	n-C ₅ H ₁₁	F	F	F	C ₂ H ₅
106	n-C ₅ H ₁₁	F	F	F	n-C ₃ H ₇
107	n-C ₅ H ₁₁	F	F	F	n-C ₄ H ₉
108	n-C ₅ H ₁₁	F	F	F	n-C ₅ H ₁₁
109	n-C ₅ H ₁₁	F	F	F	n-C ₆ H ₁₃
110	n-C ₅ H ₁₁	F	F	F	n-C ₇ H ₁₅

Examples 111 - 228



Example	E ¹	X ¹	X ²	X ³	Z	R
111	H	H	H	F	Bond	CH ₃
112	H	H	H	F	Bond	C ₂ H ₅
113	H	H	H	F	Bond	n-C ₄ H ₉
114	H	H	H	F	Bond	n-C ₅ H ₁₁
115	H	H	H	F	Bond	n-C ₆ H ₁₃
116	H	H	H	F	Bond	n-C ₇ H ₁₅
117	H	H	F	F	Bond	CH ₃
118	H	H	F	F	Bond	C ₂ H ₅
119	H	H	F	F	Bond	n-C ₃ H ₇
120	H	H	F	F	Bond	n-C ₄ H ₉
121	H	H	F	F	Bond	n-C ₅ H ₁₁
122	H	H	F	F	Bond	n-C ₆ H ₁₃

5

10

15

20

25

30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
123	H	H	F	F	Bond	n-C ₇ H ₁₅
124	H	F	F	F	Bond	CH ₃
125	H	F	F	F	Bond	C ₂ H ₅
126	H	F	F	F	Bond	n-C ₃ H ₇
127	H	F	F	F	Bond	n-C ₄ H ₉
128	H	F	F	F	Bond	n-C ₅ H ₁₁
129	H	F	F	F	Bond	n-C ₆ H ₁₃
130	H	F	F	F	Bond	n-C ₇ H ₁₅
131	H	F	F	F	CF ₂ CF ₂	CH ₃
132	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
133	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
134	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
135	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
136	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
137	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
138	H	F	F	F	OCF ₂	CH ₃
139	H	F	F	F	OCF ₂	C ₂ H ₅
140	H	F	F	F	OCF ₂	n-C ₃ H ₇
141	H	F	F	F	OCF ₂	n-C ₄ H ₉
142	H	F	F	F	OCF ₂	n-C ₅ H ₁₁
143	H	F	F	F	OCF ₂	n-C ₆ H ₁₃
144	H	F	F	F	OCF ₂	n-C ₇ H ₁₅
145	CH ₃	H	F	F	Bond	CH ₃
146	CH ₃	H	F	F	Bond	C ₂ H ₅
147	CH ₃	H	F	F	Bond	n-C ₃ H ₇
148	CH ₃	H	F	F	Bond	n-C ₄ H ₉
149	CH ₃	H	F	F	Bond	n-C ₅ H ₁₁
150	CH ₃	H	F	F	Bond	n-C ₆ H ₁₃
151	CH ₃	H	F	F	Bond	n-C ₇ H ₁₅
152	CH ₃	F	F	F	Bond	CH ₃
153	CH ₃	F	F	F	Bond	C ₂ H ₅
154	CH ₃	F	F	F	Bond	n-C ₃ H ₇
155	CH ₃	F	F	F	Bond	n-C ₄ H ₉

5

10

15

20

25

30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
156	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
157	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
158	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
159	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
160	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
161	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
162	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
163	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
164	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
165	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
166	CH ₃	F	F	F	OCF ₂	CH ₃
167	CH ₃	F	F	F	OCF ₂	C ₂ H ₅
168	CH ₃	F	F	F	OCF ₂	n-C ₃ H ₇
169	CH ₃	F	F	F	OCF ₂	n-C ₄ H ₉
170	CH ₃	F	F	F	OCF ₂	n-C ₅ H ₁₁
171	CH ₃	F	F	F	OCF ₂	n-C ₆ H ₁₃
172	CH ₃	F	F	F	OCF ₂	n-C ₇ H ₁₅
173	C ₂ H ₅	H	F	F	Bond	CH ₃
174	C ₂ H ₅	H	F	F	Bond	C ₂ H ₅
175	C ₂ H ₅	H	F	F	Bond	n-C ₃ H ₇
176	C ₂ H ₅	H	F	F	Bond	n-C ₄ H ₉
177	C ₂ H ₅	H	F	F	Bond	n-C ₅ H ₁₁
178	C ₂ H ₅	H	F	F	Bond	n-C ₆ H ₁₃
179	C ₂ H ₅	H	F	F	Bond	n-C ₇ H ₁₅
180	C ₂ H ₅	F	F	F	Bond	CH ₃
181	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
182	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
183	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
184	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
185	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
186	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
187	n-C ₃ H ₇	H	F	F	Bond	CH ₃
188	n-C ₃ H ₇	H	F	F	Bond	C ₂ H ₅

5

10

15

20

25


30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
189	n-C ₃ H ₇	H	F	F	Bond	n-C ₃ H ₇
190	n-C ₃ H ₇	H	F	F	Bond	n-C ₄ H ₉
191	n-C ₃ H ₇	H	F	F	Bond	n-C ₅ H ₁₁
192	n-C ₃ H ₇	H	F	F	Bond	n-C ₆ H ₁₃
193	n-C ₃ H ₇	H	F	F	Bond	n-C ₇ H ₁₅
194	n-C ₃ H ₇	F	F	F	Bond	CH ₃
195	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
196	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
197	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
198	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
199	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
200	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
201	n-C ₄ H ₉	H	F	F	Bond	CH ₃
202	n-C ₄ H ₉	H	F	F	Bond	C ₂ H ₅
203	n-C ₄ H ₉	H	F	F	Bond	n-C ₃ H ₇
204	n-C ₄ H ₉	H	F	F	Bond	n-C ₄ H ₉
205	n-C ₄ H ₉	H	F	F	Bond	n-C ₅ H ₁₁
206	n-C ₄ H ₉	H	F	F	Bond	n-C ₆ H ₁₃
207	n-C ₄ H ₉	H	F	F	Bond	n-C ₇ H ₁₅
208	n-C ₄ H ₉	F	F	F	Bond	CH ₃
209	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
210	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
211	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
212	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
213	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
214	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
215	n-C ₅ H ₁₁	H	F	F	Bond	CH ₃
216	n-C ₅ H ₁₁	H	F	F	Bond	C ₂ H ₅
217	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₃ H ₇
218	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₄ H ₉
219	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₅ H ₁₁
220	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₆ H ₁₃
221	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₇ H ₁₅

Example	E ¹	X ¹	X ²	X ³	Z	R
222	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
223	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅
224	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
225	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
226	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
227	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
228	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

Examples 229 - 347



Example	E ¹	X ¹	X ²	X ³	Z	R
229	H	H	H	F	Bond	CH ₃
230	H	H	H	F	Bond	C ₂ H ₅
231	H	H	H	F	Bond	n-C ₃ H ₇
232	H	H	H	F	Bond	n-C ₄ H ₉
233	H	H	H	F	Bond	n-C ₅ H ₁₁
234	H	H	H	F	Bond	n-C ₆ H ₁₃
235	H	H	H	F	Bond	n-C ₇ H ₁₅
236	H	H	F	F	Bond	CH ₃
237	H	H	F	F	Bond	C ₂ H ₅
238	H	H	F	F	Bond	n-C ₃ H ₇
239	H	H	F	F	Bond	n-C ₄ H ₉
240	H	H	F	F	Bond	n-C ₅ H ₁₁
241	H	H	F	F	Bond	n-C ₆ H ₁₃
242	H	H	F	F	Bond	n-C ₇ H ₁₅
243	H	F	F	F	Bond	CH ₃

5

10

15

20

25

30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
244	H	F	F	F	Bond	C ₂ H ₅
245	H	F	F	F	Bond	n-C ₃ H ₇
246	H	F	F	F	Bond	n-C ₄ H ₉
247	H	F	F	F	Bond	n-C ₅ H ₁₁
248	H	F	F	F	Bond	n-C ₆ H ₁₃
249	H	F	F	F	Bond	n-C ₇ H ₁₅
250	H	F	F	F	CF ₂ CF ₂	CH ₃
251	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
252	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
253	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
254	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
255	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
256	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
257	H	F	F	F	CF ₂ O	CH ₃
258	H	F	F	F	CF ₂ O	C ₂ H ₅
259	H	F	F	F	CF ₂ O	n-C ₃ H ₇
260	H	F	F	F	CF ₂ O	n-C ₄ H ₉
261	H	F	F	F	CF ₂ O	n-C ₅ H ₁₁
262	H	F	F	F	CF ₂ O	n-C ₆ H ₁₃
263	H	F	F	F	CF ₂ O	n-C ₇ H ₁₅
264	CH ₃	H	F	F	Bond	CH ₃
265	CH ₃	H	F	F	Bond	C ₂ H ₅
266	CH ₃	H	F	F	Bond	n-C ₃ H ₇
267	CH ₃	H	F	F	Bond	n-C ₄ H ₉
268	CH ₃	H	F	F	Bond	n-C ₅ H ₁₁
269	CH ₃	H	F	F	Bond	n-C ₆ H ₁₃
270	CH ₃	H	F	F	Bond	n-C ₇ H ₁₅
271	CH ₃	F	F	F	Bond	CH ₃
272	CH ₃	F	F	F	Bond	C ₂ H ₅
273	CH ₃	F	F	F	Bond	n-C ₃ H ₇
274	CH ₃	F	F	F	Bond	n-C ₄ H ₉
275	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
276	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃

5

10

15

20

25

30

35


Example	E ¹	X ¹	X ²	X ³	Z	R
277	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
278	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
279	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
280	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
281	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
282	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
283	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
284	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
285	CH ₃	F	F	F	CF ₂ O	CH ₃
286	CH ₃	F	F	F	CF ₂ O	C ₂ H ₅
287	CH ₃	F	F	F	CF ₂ O	n-C ₃ H ₇
288	CH ₃	F	F	F	CF ₂ O	n-C ₄ H ₉
289	CH ₃	F	F	F	CF ₂ O	n-C ₅ H ₁₁
290	CH ₃	F	F	F	CF ₂ O	n-C ₆ H ₁₃
291	CH ₃	F	F	F	CF ₂ O	n-C ₇ H ₁₅
292	C ₂ H ₅	H	F	F	Bond	CH ₃
293	C ₂ H ₅	H	F	F	Bond	C ₂ H ₅
294	C ₂ H ₅	H	F	F	Bond	n-C ₃ H ₇
295	C ₂ H ₅	H	F	F	Bond	n-C ₄ H ₉
296	C ₂ H ₅	H	F	F	Bond	n-C ₅ H ₁₁
297	C ₂ H ₅	H	F	F	Bond	n-C ₆ H ₁₃
298	C ₂ H ₅	H	F	F	Bond	n-C ₇ H ₁₅
299	C ₂ H ₅	F	F	F	Bond	CH ₃
300	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
301	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
302	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
303	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
304	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
305	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
306	n-C ₃ H ₇	H	F	F	Bond	CH ₃
307	n-C ₃ H ₇	H	F	F	Bond	C ₂ H ₅
308	n-C ₃ H ₇	H	F	F	Bond	n-C ₃ H ₇
309	n-C ₃ H ₇	H	F	F	Bond	n-C ₄ H ₉

Example	E ¹	X ¹	X ²	X ³	Z	R
310	n-C ₃ H ₇	H	F	F	Bond	n-C ₅ H ₁₁
311	n-C ₃ H ₇	H	F	F	Bond	n-C ₆ H ₁₃
312	n-C ₃ H ₇	H	F	F	Bond	n-C ₇ H ₁₅
313	n-C ₃ H ₇	F	F	F	Bond	CH ₃
314	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
315	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
316	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
317	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
318	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
319	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
320	n-C ₄ H ₉	H	F	F	Bond	CH ₃
321	n-C ₄ H ₉	H	F	F	Bond	C ₂ H ₅
322	n-C ₄ H ₉	H	F	F	Bond	n-C ₃ H ₇
323	n-C ₄ H ₉	H	F	F	Bond	n-C ₄ H ₉
324	n-C ₄ H ₉	H	F	F	Bond	n-C ₅ H ₁₁
325	n-C ₄ H ₉	H	F	F	Bond	n-C ₆ H ₁₃
326	n-C ₄ H ₉	H	F	F	Bond	n-C ₇ H ₁₅
327	n-C ₄ H ₉	F	F	F	Bond	CH ₃
328	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
329	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
330	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
331	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
332	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
333	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
334	n-C ₅ H ₁₁	H	F	F	Bond	CH ₃
335	n-C ₅ H ₁₁	H	F	F	Bond	C ₂ H ₅
336	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₃ H ₇
337	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₄ H ₉
338	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₅ H ₁₁
339	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₆ H ₁₃
340	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₇ H ₁₅
341	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
342	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅

- 55 -

Example	E ¹	X ¹	X ²	X ³	Z	R
343	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
344	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
345	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
346	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
347	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

Examples 348 - 466



Example	E ¹	X ¹	X ²	X ³	Z	R
348	H	H	H	F	Bond	CH ₃
349	H	H	H	F	Bond	C ₂ H ₅
350	H	H	H	F	Bond	n-C ₃ H ₇
351	H	H	H	F	Bond	n-C ₄ H ₉
352	H	H	H	F	Bond	n-C ₅ H ₁₁
353	H	H	H	F	Bond	n-C ₆ H ₁₃
354	H	H	H	F	Bond	n-C ₇ H ₁₅
355	H	H	F	F	Bond	CH ₃
356	H	H	F	F	Bond	C ₂ H ₅
357	H	H	F	F	Bond	n-C ₃ H ₇
358	H	H	F	F	Bond	n-C ₄ H ₉
359	H	H	F	F	Bond	n-C ₅ H ₁₁
360	H	H	F	F	Bond	n-C ₆ H ₁₃
361	H	H	F	F	Bond	n-C ₇ H ₁₅
362	H	F	F	F	Bond	CH ₃
363	H	F	F	F	Bond	C ₂ H ₅
364	H	F	F	F	Bond	n-C ₃ H ₇

	Example	E ¹	X ¹	X ²	X ³	Z	R
	365	H	F	F	F	Bond	n-C ₄ H ₉
	366	H	F	F	F	Bond	n-C ₅ H ₁₁
5	367	H	F	F	F	Bond	n-C ₆ H ₁₃
	368	H	F	F	F	Bond	n-C ₇ H ₁₅
	369	H	F	F	F	CF ₂ CF ₂	CH ₃
	370	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	371	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
10	372	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
	373	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
	374	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
	375	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	376	H	F	F	F	CF ₂ O	CH ₃
15	377	H	F	F	F	CF ₂ O	C ₂ H ₅
	378	H	F	F	F	CF ₂ O	n-C ₃ H ₇
	379	H	F	F	F	CF ₂ O	n-C ₄ H ₉
	380	H	F	F	F	CF ₂ O	n-C ₅ H ₁₁
	381	H	F	F	F	CF ₂ O	n-C ₆ H ₁₃
20	382	H	F	F	F	CF ₂ O	n-C ₇ H ₁₅
	383	CH ₃	H	F	F	Bond	CH ₃
	384	CH ₃	H	F	F	Bond	C ₂ H ₅
	385	CH ₃	H	F	F	Bond	n-C ₃ H ₇
25	386	CH ₃	H	F	F	Bond	n-C ₄ H ₉
	387	CH ₃	H	F	F	Bond	n-C ₅ H ₁₁
	388	CH ₃	H	F	F	Bond	n-C ₆ H ₁₃
	389	CH ₃	H	F	F	Bond	n-C ₇ H ₁₅
	390	CH ₃	F	F	F	Bond	CH ₃
30	391	CH ₃	F	F	F	Bond	C ₂ H ₅
	392	CH ₃	F	F	F	Bond	n-C ₃ H ₇
	393	CH ₃	F	F	F	Bond	n-C ₄ H ₉
	394	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
	395	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
	396	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
35	397	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃

	Example	E ¹	X ¹	X ²	X ³	Z	R
5	398	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	399	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
	400	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
	401	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
	402	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
10	403	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	404	CH ₃	F	F	F	CF ₂ O	CH ₃
	405	CH ₃	F	F	F	CF ₂ O	C ₂ H ₅
	406	CH ₃	F	F	F	CF ₂ O	n-C ₃ H ₇
	407	CH ₃	F	F	F	CF ₂ O	n-C ₄ H ₉
15	408	CH ₃	F	F	F	CF ₂ O	n-C ₅ H ₁₁
	409	CH ₃	F	F	F	CF ₂ O	n-C ₆ H ₁₃
	410	CH ₃	F	F	F	CF ₂ O	n-C ₇ H ₁₅
	411	C ₂ H ₅	H	F	F	Bond	CH ₃
	412	C ₂ H ₅	H	F	F	Bond	C ₂ H ₅
20	413	C ₂ H ₅	H	F	F	Bond	n-C ₃ H ₇
	414	C ₂ H ₅	H	F	F	Bond	n-C ₄ H ₉
	415	C ₂ H ₅	H	F	F	Bond	n-C ₅ H ₁₁
	416	C ₂ H ₅	H	F	F	Bond	n-C ₆ H ₁₃
	417	C ₂ H ₅	H	F	F	Bond	n-C ₇ H ₁₅
25	418	C ₂ H ₅	F	F	F	Bond	CH ₃
	419	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
	420	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
	421	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
	422	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
30	423	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
	424	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
	425	n-C ₃ H ₇	H	F	F	Bond	CH ₃
	426	n-C ₃ H ₇	H	F	F	Bond	C ₂ H ₅
	427	n-C ₃ H ₇	H	F	F	Bond	n-C ₃ H ₇
35	428	n-C ₃ H ₇	H	F	F	Bond	n-C ₄ H ₉
	429	n-C ₃ H ₇	H	F	F	Bond	n-C ₅ H ₁₁
	430	n-C ₃ H ₇	H	F	F	Bond	n-C ₆ H ₁₃


	Example	E ¹	X ¹	X ²	X ³	Z	R
	431	n-C ₃ H ₇	H	F	F	Bond	n-C ₇ H ₁₅
	432	n-C ₃ H ₇	F	F	F	Bond	CH ₃
5	433	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
	434	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
	435	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
	436	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
	437	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
10	438	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
	439	n-C ₄ H ₉	H	F	F	Bond	CH ₃
	440	n-C ₄ H ₉	H	F	F	Bond	C ₂ H ₅
	441	n-C ₄ H ₉	H	F	F	Bond	n-C ₃ H ₇
	442	n-C ₄ H ₉	H	F	F	Bond	n-C ₄ H ₉
15	443	n-C ₄ H ₉	H	F	F	Bond	n-C ₅ H ₁₁
	444	n-C ₄ H ₉	H	F	F	Bond	n-C ₆ H ₁₃
	445	n-C ₄ H ₉	H	F	F	Bond	n-C ₇ H ₁₅
	446	n-C ₄ H ₉	F	F	F	Bond	CH ₃
	447	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
20	448	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
	449	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
	450	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
	451	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
	452	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
25	453	n-C ₅ H ₁₁	H	F	F	Bond	CH ₃
	454	n-C ₅ H ₁₁	H	F	F	Bond	C ₂ H ₅
	455	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₃ H ₇
	456	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₄ H ₉
	457	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₅ H ₁₁
30	458	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₆ H ₁₃
	459	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₇ H ₁₅
	460	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
	461	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅
	462	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
35	463	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉

Example	E ¹	X ¹	X ²	X ³	Z	R
464	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
465	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
466	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

5

Examples 467 - 549

10



15

20

25

30

35

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
467	CH ₃	H	F	F	Bond	CH ₃
468	CH ₃	H	F	F	Bond	C ₂ H ₅
469	CH ₃	H	F	F	Bond	n-C ₃ H ₇
470	CH ₃	H	F	F	Bond	n-C ₄ H ₉
471	CH ₃	H	F	F	Bond	n-C ₅ H ₁₁
472	CH ₃	H	F	F	Bond	n-C ₆ H ₁₃
473	CH ₃	H	F	F	Bond	n-C ₇ H ₁₅
474	CH ₃	F	F	F	Bond	CH ₃
475	CH ₃	F	F	F	Bond	C ₂ H ₅
476	CH ₃	F	F	F	Bond	n-C ₃ H ₇
477	CH ₃	F	F	F	Bond	n-C ₄ H ₉
478	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
479	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
480	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
481	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
482	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
483	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
484	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
485	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
486	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
487	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
488	C ₂ H ₅	H	F	F	Bond	CH ₃
489	C ₂ H ₅	H	F	F	Bond	C ₂ H ₅
490	C ₂ H ₅	H	F	F	Bond	n-C ₃ H ₇
491	C ₂ H ₅	H	F	F	Bond	n-C ₄ H ₉
492	C ₂ H ₅	H	F	F	Bond	n-C ₅ H ₁₁
493	C ₂ H ₅	H	F	F	Bond	n-C ₆ H ₁₃
494	C ₂ H ₅	H	F	F	Bond	n-C ₇ H ₁₅
495	C ₂ H ₅	F	F	F	CF ₂ CF ₂	CH ₃
496	C ₂ H ₅	F	F	F	CF ₂ CF ₂	C ₂ H ₅
497	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
498	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
499	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
500	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
501	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
502	C ₂ H ₅	F	F	F	Bond	CH ₃
503	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
504	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
505	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
506	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
507	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
508	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
509	n-C ₃ H ₇	H	F	F	Bond	CH ₃
510	n-C ₃ H ₇	H	F	F	Bond	C ₂ H ₅
511	n-C ₃ H ₇	H	F	F	Bond	n-C ₃ H ₇
512	n-C ₃ H ₇	H	F	F	Bond	n-C ₄ H ₉
513	n-C ₃ H ₇	H	F	F	Bond	n-C ₅ H ₁₁
514	n-C ₃ H ₇	H	F	F	Bond	n-C ₆ H ₁₃
515	n-C ₃ H ₇	H	F	F	Bond	n-C ₇ H ₁₅
516	n-C ₃ H ₇	F	F	F	Bond	CH ₃
517	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
518	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
519	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
520	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃

5

10

15

20

25


30

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
521	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
522	n-C ₄ H ₉	H	F	F	Bond	CH ₃
523	n-C ₄ H ₉	H	F	F	Bond	C ₂ H ₅
524	n-C ₄ H ₉	H	F	F	Bond	n-C ₃ H ₇
525	n-C ₄ H ₉	H	F	F	Bond	n-C ₄ H ₉
526	n-C ₄ H ₉	H	F	F	Bond	n-C ₅ H ₁₁
527	n-C ₄ H ₉	H	F	F	Bond	n-C ₆ H ₁₃
528	n-C ₄ H ₉	H	F	F	Bond	n-C ₇ H ₁₅
529	n-C ₄ H ₉	F	F	F	Bond	CH ₃
530	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
531	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
532	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
533	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
534	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
535	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
536	n-C ₅ H ₁₁	H	F	F	Bond	CH ₃
537	n-C ₅ H ₁₁	H	F	F	Bond	C ₂ H ₅
538	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₃ H ₇
539	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₄ H ₉
540	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₅ H ₁₁
541	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₆ H ₁₃
542	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₇ H ₁₅
543	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
544	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅
545	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
546	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
547	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
548	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
549	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

35

Examples 550 - 646

5



10

15

20

25

30

35

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
550	CH ₃	H	F	F	Bond	CH ₃
551	CH ₃	H	F	F	Bond	C ₂ H ₅
552	CH ₃	H	F	F	Bond	n-C ₃ H ₇
553	CH ₃	H	F	F	Bond	n-C ₄ H ₉
554	CH ₃	H	F	F	Bond	n-C ₅ H ₁₁
555	CH ₃	H	F	F	Bond	n-C ₆ H ₁₃
556	CH ₃	H	F	F	Bond	n-C ₇ H ₁₅
557	CH ₃	F	F	F	Bond	CH ₃
558	CH ₃	F	F	F	Bond	C ₂ H ₅
559	CH ₃	F	F	F	Bond	n-C ₃ H ₇
560	CH ₃	F	F	F	Bond	n-C ₄ H ₉
561	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
562	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
563	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
564	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
565	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
566	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
567	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
568	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
569	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
570	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
571	CH ₃	F	F	F	CF ₂ O	CH ₃
572	CH ₃	F	F	F	CF ₂ O	C ₂ H ₅
573	CH ₃	F	F	F	CF ₂ O	n-C ₃ H ₇
574	CH ₃	F	F	F	CF ₂ O	n-C ₄ H ₉
575	CH ₃	F	F	F	CF ₂ O	n-C ₅ H ₁₁

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
576	CH ₃	F	F	F	CF ₂ O	n-C ₆ H ₁₃
577	CH ₃	F	F	F	CF ₂ O	n-C ₇ H ₁₅
578	C ₂ H ₅	H	F	F	Bond	CH ₃
579	C ₂ H ₅	H	F	F	Bond	C ₂ H ₅
580	C ₂ H ₅	H	F	F	Bond	n-C ₃ H ₇
581	C ₂ H ₅	H	F	F	Bond	n-C ₄ H ₉
582	C ₂ H ₅	H	F	F	Bond	n-C ₅ H ₁₁
583	C ₂ H ₅	H	F	F	Bond	n-C ₆ H ₁₃
584	C ₂ H ₅	H	F	F	Bond	n-C ₇ H ₁₅
585	C ₂ H ₅	F	F	F	CF ₂ CF ₂	CH ₃
586	C ₂ H ₅	F	F	F	CF ₂ CF ₂	C ₂ H ₅
587	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
588	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
589	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
590	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
591	C ₂ H ₅	F	F	F	CF ₂ O	CH ₃
592	C ₂ H ₅	F	F	F	CF ₂ O	C ₂ H ₅
593	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₃ H ₇
594	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₄ H ₉
595	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₅ H ₁₁
596	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₆ H ₁₃
597	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₇ H ₁₅
598	C ₂ H ₅	F	F	F	Bond	CH ₃
599	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
600	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
601	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
602	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
603	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
604	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
605	n-C ₃ H ₇	H	F	F	Bond	CH ₃
606	n-C ₃ H ₇	H	F	F	Bond	C ₂ H ₅
607	n-C ₃ H ₇	H	F	F	Bond	n-C ₃ H ₇
608	n-C ₃ H ₇	H	F	F	Bond	n-C ₄ H ₉

5

10

15

20

25

30

35


Example	R ^b	X ¹	X ²	X ³	Z	R ^a
609	n-C ₃ H ₇	H	F	F	Bond	n-C ₅ H ₁₁
610	n-C ₃ H ₇	H	F	F	Bond	n-C ₆ H ₁₃
611	n-C ₃ H ₇	H	F	F	Bond	n-C ₇ H ₁₅
612	n-C ₃ H ₇	F	F	F	Bond	CH ₃
613	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
614	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
615	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
616	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
617	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
618	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
619	n-C ₄ H ₉	H	F	F	Bond	CH ₃
620	n-C ₄ H ₉	H	F	F	Bond	C ₂ H ₅
621	n-C ₄ H ₉	H	F	F	Bond	n-C ₃ H ₇
622	n-C ₄ H ₉	H	F	F	Bond	n-C ₄ H ₉
623	n-C ₄ H ₉	H	F	F	Bond	n-C ₅ H ₁₁
624	n-C ₄ H ₉	H	F	F	Bond	n-C ₆ H ₁₃
625	n-C ₄ H ₉	H	F	F	Bond	n-C ₇ H ₁₅
626	n-C ₄ H ₉	F	F	F	Bond	CH ₃
627	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
628	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
629	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
630	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
631	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
632	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
633	n-C ₅ H ₁₁	H	F	F	Bond	CH ₃
634	n-C ₅ H ₁₁	H	F	F	Bond	C ₂ H ₅
635	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₃ H ₇
636	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₄ H ₉
637	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₅ H ₁₁
638	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₆ H ₁₃
639	n-C ₅ H ₁₁	H	F	F	Bond	n-C ₇ H ₁₅
640	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
641	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅

5

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
642	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
643	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
644	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
645	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
646	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

Examples 647 - 765

10



15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	R
647	H	H	H	H	H	CH ₃
648	H	H	H	H	H	C ₂ H ₅
649	H	H	H	H	H	n-C ₃ H ₇
650	H	H	H	H	H	n-C ₄ H ₉
651	H	H	H	H	H	n-C ₅ H ₁₁
652	H	H	H	H	H	n-C ₆ H ₁₃
653	H	H	H	H	H	n-C ₇ H ₁₅
654	H	H	H	H	F	CH ₃
655	H	H	H	H	F	C ₂ H ₅
656	H	H	H	H	F	n-C ₃ H ₇
657	H	H	H	H	F	n-C ₄ H ₉
658	H	H	H	H	F	n-C ₅ H ₁₁
659	H	H	H	H	F	n-C ₆ H ₁₃
660	H	H	H	H	F	n-C ₇ H ₁₅
661	H	H	H	F	F	CH ₃
662	H	H	H	F	F	C ₂ H ₅
663	H	H	H	F	F	n-C ₃ H ₇
664	H	H	H	F	F	n-C ₄ H ₉
665	H	H	H	F	F	n-C ₅ H ₁₁

	Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	R
	666	H	H	H	F	F	n-C ₆ H ₁₃
	667	H	H	H	F	F	n-C ₇ H ₁₅
5	668	H	H	F	F	F	CH ₃
	669	H	H	F	F	F	C ₂ H ₅
	670	H	H	F	F	F	n-C ₃ H ₇
	671	H	H	F	F	F	n-C ₄ H ₉
	672	H	H	F	F	F	n-C ₅ H ₁₁
10	673	H	H	F	F	F	n-C ₆ H ₁₃
	674	H	H	F	F	F	n-C ₇ H ₁₅
	675	H	F	F	F	F	CH ₃
	676	H	F	F	F	F	C ₂ H ₅
	677	H	F	F	F	F	n-C ₃ H ₇
15	678	H	F	F	F	F	n-C ₄ H ₉
	679	H	F	F	F	F	n-C ₅ H ₁₁
	680	H	F	F	F	F	n-C ₆ H ₁₃
	681	H	F	F	F	F	n-C ₇ H ₁₅
20	682	CH ₃	H	H	F	F	CH ₃
	683	CH ₃	H	H	F	F	C ₂ H ₅
	684	CH ₃	H	H	F	F	n-C ₃ H ₇
	685	CH ₃	H	H	F	F	n-C ₄ H ₉
	686	CH ₃	H	H	F	F	n-C ₅ H ₁₁
25	687	CH ₃	H	H	F	F	n-C ₆ H ₁₃
	688	CH ₃	H	H	F	F	n-C ₇ H ₁₅
	689	CH ₃	H	F	F	F	CH ₃
	690	CH ₃	H	F	F	F	C ₂ H ₅
	691	CH ₃	H	F	F	F	n-C ₃ H ₇
	692	CH ₃	H	F	F	F	n-C ₄ H ₉
30	693	CH ₃	H	F	F	F	n-C ₅ H ₁₁
	694	CH ₃	H	F	F	F	n-C ₆ H ₁₃
	695	CH ₃	H	F	F	F	n-C ₇ H ₁₅
	696	CH ₃	F	F	F	F	CH ₃
	697	CH ₃	F	F	F	F	C ₂ H ₅
35	698	CH ₃	F	F	F	F	n-C ₃ H ₇

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	R
699	CH ₃	F	F	F	F	n-C ₄ H ₉
700	CH ₃	F	F	F	F	n-C ₅ H ₁₁
701	CH ₃	F	F	F	F	n-C ₆ H ₁₃
702	CH ₃	F	F	F	F	n-C ₇ H ₁₅
703	C ₂ H ₅	H	H	F	F	CH ₃
704	C ₂ H ₅	H	H	F	F	C ₂ H ₅
705	C ₂ H ₅	H	H	F	F	n-C ₃ H ₇
706	C ₂ H ₅	H	H	F	F	n-C ₄ H ₉
707	C ₂ H ₅	H	H	F	F	n-C ₅ H ₁₁
708	C ₂ H ₅	H	H	F	F	n-C ₆ H ₁₃
709	C ₂ H ₅	H	H	F	F	n-C ₇ H ₁₅
710	C ₂ H ₅	H	F	F	F	CH ₃
711	C ₂ H ₅	H	F	F	F	C ₂ H ₅
712	C ₂ H ₅	H	F	F	F	n-C ₃ H ₇
713	C ₂ H ₅	H	F	F	F	n-C ₄ H ₉
714	C ₂ H ₅	H	F	F	F	n-C ₅ H ₁₁
715	C ₂ H ₅	H	F	F	F	n-C ₆ H ₁₃
716	C ₂ H ₅	H	F	F	F	n-C ₇ H ₁₅
717	C ₂ H ₅	F	F	F	F	CH ₃
718	C ₂ H ₅	F	F	F	F	C ₂ H ₅
719	C ₂ H ₅	F	F	F	F	n-C ₃ H ₇
720	C ₂ H ₅	F	F	F	F	n-C ₄ H ₉
721	C ₂ H ₅	F	F	F	F	n-C ₅ H ₁₁
722	C ₂ H ₅	F	F	F	F	n-C ₆ H ₁₃
723	C ₂ H ₅	F	F	F	F	n-C ₇ H ₁₅
724	n-C ₃ H ₇	H	H	F	F	CH ₃
725	n-C ₃ H ₇	H	H	F	F	C ₂ H ₅
726	n-C ₃ H ₇	H	H	F	F	n-C ₃ H ₇
727	n-C ₃ H ₇	H	H	F	F	n-C ₄ H ₉
728	n-C ₃ H ₇	H	H	F	F	n-C ₅ H ₁₁
729	n-C ₃ H ₇	H	H	F	F	n-C ₆ H ₁₃
730	n-C ₃ H ₇	H	H	F	F	n-C ₇ H ₁₅
731	n-C ₃ H ₇	F	F	F	F	CH ₃

5

10

15

20

25


30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	R
732	n-C ₃ H ₇	F	F	F	F	C ₂ H ₅
733	n-C ₃ H ₇	F	F	F	F	n-C ₃ H ₇
734	n-C ₃ H ₇	F	F	F	F	n-C ₄ H ₉
735	n-C ₃ H ₇	F	F	F	F	n-C ₅ H ₁₁
736	n-C ₃ H ₇	F	F	F	F	n-C ₆ H ₁₃
737	n-C ₃ H ₇	F	F	F	F	n-C ₇ H ₁₅
738	n-C ₄ H ₉	H	H	F	F	CH ₃
739	n-C ₄ H ₉	H	H	F	F	C ₂ H ₅
740	n-C ₄ H ₉	H	H	F	F	n-C ₃ H ₇
741	n-C ₄ H ₉	H	H	F	F	n-C ₄ H ₉
742	n-C ₄ H ₉	H	H	F	F	n-C ₅ H ₁₁
743	n-C ₄ H ₉	H	H	F	F	n-C ₆ H ₁₃
744	n-C ₄ H ₉	H	H	F	F	n-C ₇ H ₁₅
745	n-C ₄ H ₉	F	F	F	F	CH ₃
746	n-C ₄ H ₉	F	F	F	F	C ₂ H ₅
747	n-C ₄ H ₉	F	F	F	F	n-C ₃ H ₇
748	n-C ₄ H ₉	F	F	F	F	n-C ₄ H ₉
749	n-C ₄ H ₉	F	F	F	F	n-C ₅ H ₁₁
750	n-C ₄ H ₉	F	F	F	F	n-C ₆ H ₁₃
751	n-C ₄ H ₉	F	F	F	F	n-C ₇ H ₁₅
752	n-C ₅ H ₁₁	H	H	F	F	CH ₃
753	n-C ₅ H ₁₁	H	H	F	F	C ₂ H ₅
754	n-C ₅ H ₁₁	H	H	F	F	n-C ₃ H ₇
755	n-C ₅ H ₁₁	H	H	F	F	n-C ₄ H ₉
756	n-C ₅ H ₁₁	H	H	F	F	n-C ₅ H ₁₁
757	n-C ₅ H ₁₁	H	H	F	F	n-C ₆ H ₁₃
758	n-C ₅ H ₁₁	H	H	F	F	n-C ₇ H ₁₅
759	n-C ₅ H ₁₁	F	F	F	F	CH ₃
760	n-C ₅ H ₁₁	F	F	F	F	C ₂ H ₅
761	n-C ₅ H ₁₁	F	F	F	F	n-C ₃ H ₇
762	n-C ₅ H ₁₁	F	F	F	F	n-C ₄ H ₉
763	n-C ₅ H ₁₁	F	F	F	F	n-C ₅ H ₁₁
764	n-C ₅ H ₁₁	F	F	F	F	n-C ₆ H ₁₃

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	R
765	n-C ₅ H ₁₁	F	F	F	F	n-C ₇ H ₁₅

Examples 766 - 912



Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
766	H	H	H	H	F	Bond	CH ₃
767	H	H	H	H	F	Bond	C ₂ H ₅
768	H	H	H	H	F	Bond	n-C ₃ H ₇
769	H	H	H	H	F	Bond	n-C ₄ H ₉
770	H	H	H	H	F	Bond	n-C ₅ H ₁₁
771	H	H	H	H	F	Bond	n-C ₆ H ₁₃
772	H	H	H	H	F	Bond	n-C ₇ H ₁₅
773	H	H	H	F	F	Bond	CH ₃
774	H	H	H	F	F	Bond	C ₂ H ₅
775	H	H	H	F	F	Bond	n-C ₃ H ₇
776	H	H	H	F	F	Bond	n-C ₄ H ₉
777	H	H	H	F	F	Bond	n-C ₅ H ₁₁
778	H	H	H	F	F	Bond	n-C ₆ H ₁₃
779	H	H	H	F	F	Bond	n-C ₇ H ₁₅
780	H	H	F	F	F	Bond	CH ₃
781	H	H	F	F	F	Bond	C ₂ H ₅
782	H	H	F	F	F	Bond	n-C ₃ H ₇
783	H	H	F	F	F	Bond	n-C ₄ H ₉
784	H	H	F	F	F	Bond	n-C ₅ H ₁₁
785	H	H	F	F	F	Bond	n-C ₆ H ₁₃
786	H	H	F	F	F	Bond	n-C ₇ H ₁₅
787	H	F	F	F	F	Bond	CH ₃

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
788	H	F	F	F	F	Bond	C ₂ H ₅
789	H	F	F	F	F	Bond	n-C ₃ H ₇
790	H	F	F	F	F	Bond	n-C ₄ H ₉
791	H	F	F	F	F	Bond	n-C ₅ H ₁₁
792	H	F	F	F	F	Bond	n-C ₆ H ₁₃
793	H	F	F	F	F	Bond	n-C ₇ H ₁₅
794	H	H	F	F	F	CF ₂ CF ₂	CH ₃
795	H	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
796	H	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
797	H	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
798	H	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
799	H	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
800	H	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
801	H	F	F	F	F	CF ₂ CF ₂	CH ₃
802	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
803	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
804	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
805	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
806	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
807	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
808	H	F	F	F	F	OCF ₂	CH ₃
809	H	F	F	F	F	OCF ₂	C ₂ H ₅
810	H	F	F	F	F	OCF ₂	n-C ₃ H ₇
811	H	F	F	F	F	OCF ₂	n-C ₄ H ₉
812	H	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
813	H	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
814	H	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
815	CH ₃	H	H	F	F	Bond	CH ₃
816	CH ₃	H	H	F	F	Bond	C ₂ H ₅
817	CH ₃	H	H	F	F	Bond	n-C ₃ H ₇
818	CH ₃	H	H	F	F	Bond	n-C ₄ H ₉
819	CH ₃	H	H	F	F	Bond	n-C ₅ H ₁₁
820	CH ₃	H	H	F	F	Bond	n-C ₆ H ₁₃

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
821	CH ₃	H	H	F	F	Bond	n-C ₇ H ₁₅
822	CH ₃	H	F	F	F	Bond	CH ₃
823	CH ₃	H	F	F	F	Bond	C ₂ H ₅
824	CH ₃	H	F	F	F	Bond	n-C ₃ H ₇
825	CH ₃	H	F	F	F	Bond	n-C ₄ H ₉
826	CH ₃	H	F	F	F	Bond	n-C ₅ H ₁₁
827	CH ₃	H	F	F	F	Bond	n-C ₆ H ₁₃
828	CH ₃	H	F	F	F	Bond	n-C ₇ H ₁₅
829	CH ₃	F	F	F	F	Bond	CH ₃
830	CH ₃	F	F	F	F	Bond	C ₂ H ₅
831	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
832	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
833	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
834	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
835	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
836	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
837	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
838	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
839	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
840	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
841	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
842	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
843	CH ₃	F	F	F	F	OCF ₂	CH ₃
844	CH ₃	F	F	F	F	OCF ₂	C ₂ H ₅
845	CH ₃	F	F	F	F	OCF ₂	n-C ₃ H ₇
846	CH ₃	F	F	F	F	OCF ₂	n-C ₄ H ₉
847	CH ₃	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
848	CH ₃	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
849	CH ₃	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
850	C ₂ H ₅	H	H	F	F	Bond	CH ₃
851	C ₂ H ₅	H	H	F	F	Bond	C ₂ H ₅
852	C ₂ H ₅	H	H	F	F	Bond	n-C ₃ H ₇
853	C ₂ H ₅	H	H	F	F	Bond	n-C ₄ H ₉

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
854	C ₂ H ₅	H	H	F	F	Bond	n-C ₅ H ₁₁
855	C ₂ H ₅	H	H	F	F	Bond	n-C ₆ H ₁₃
856	C ₂ H ₅	H	H	F	F	Bond	n-C ₇ H ₁₅
857	C ₂ H ₅	F	F	F	F	Bond	CH ₃
858	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
859	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
860	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
861	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
862	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
863	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
864	n-C ₃ H ₇	H	H	F	F	Bond	CH ₃
865	n-C ₃ H ₇	H	H	F	F	Bond	C ₂ H ₅
866	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₃ H ₇
867	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₄ H ₉
868	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₅ H ₁₁
869	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₆ H ₁₃
870	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₇ H ₁₅
871	n-C ₃ H ₇	H	F	F	F	Bond	CH ₃
872	n-C ₃ H ₇	H	F	F	F	Bond	C ₂ H ₅
873	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₃ H ₇
874	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₄ H ₉
875	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₅ H ₁₁
876	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₆ H ₁₃
877	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₇ H ₁₅
878	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
879	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
880	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
881	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
882	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
883	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
884	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
885	n-C ₄ H ₉	H	H	F	F	Bond	CH ₃
886	n-C ₄ H ₉	H	H	F	F	Bond	C ₂ H ₅

- 73 -

5

10

15

20


25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
887	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₃ H ₇
888	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₄ H ₉
889	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₅ H ₁₁
890	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₆ H ₁₃
891	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₇ H ₁₅
892	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
893	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
894	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
895	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
896	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
897	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
898	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
899	n-C ₅ H ₁₁	H	H	F	F	Bond	CH ₃
900	n-C ₅ H ₁₁	H	H	F	F	Bond	C ₂ H ₅
901	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₃ H ₇
902	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₄ H ₉
903	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₅ H ₁₁
904	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₆ H ₁₃
905	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₇ H ₁₅
906	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
907	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
908	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
909	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
910	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
911	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
912	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 913 - 1059



Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
913	H	H	H	H	F	Bond	CH ₃
914	H	H	H	H	F	Bond	C ₂ H ₅
915	H	H	H	H	F	Bond	n-C ₃ H ₇
916	H	H	H	H	F	Bond	n-C ₄ H ₉
917	H	H	H	H	F	Bond	n-C ₅ H ₁₁
918	H	H	H	H	F	Bond	n-C ₆ H ₁₃
919	H	H	H	H	F	Bond	n-C ₇ H ₁₅
920	H	H	H	F	F	Bond	CH ₃
921	H	H	H	F	F	Bond	C ₂ H ₅
922	H	H	H	F	F	Bond	n-C ₃ H ₇
923	H	H	H	F	F	Bond	n-C ₄ H ₉
924	H	H	H	F	F	Bond	n-C ₅ H ₁₁
925	H	H	H	F	F	Bond	n-C ₆ H ₁₃
926	H	H	H	F	F	Bond	n-C ₇ H ₁₅
927	H	H	F	F	F	Bond	CH ₃
928	H	H	F	F	F	Bond	C ₂ H ₅
929	H	H	F	F	F	Bond	n-C ₃ H ₇
930	H	H	F	F	F	Bond	n-C ₄ H ₉
931	H	H	F	F	F	Bond	n-C ₅ H ₁₁
932	H	H	F	F	F	Bond	n-C ₆ H ₁₃
933	H	H	F	F	F	Bond	n-C ₇ H ₁₅
934	H	F	F	F	F	Bond	CH ₃
935	H	F	F	F	F	Bond	C ₂ H ₅
936	H	F	F	F	F	Bond	n-C ₃ H ₇
937	H	F	F	F	F	Bond	n-C ₄ H ₉

- 75 -

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
938	H	F	F	F	F	Bond	n-C ₅ H ₁₁
939	H	F	F	F	F	Bond	n-C ₆ H ₁₃
940	H	F	F	F	F	Bond	n-C ₇ H ₁₅
5 941	H	H	F	F	F	CF ₂ CF ₂	CH ₃
942	H	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
943	H	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
944	H	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
945	H	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
10 946	H	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
947	H	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
948	H	F	F	F	F	CF ₂ CF ₂	CH ₃
949	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
15 950	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
951	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
952	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
953	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
954	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
20 955	H	F	F	F	F	CF ₂ O	CH ₃
956	H	F	F	F	F	CF ₂ O	C ₂ H ₅
957	H	F	F	F	F	CF ₂ O	n-C ₃ H ₇
958	H	F	F	F	F	CF ₂ O	n-C ₄ H ₉
959	H	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
25 960	H	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
961	H	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
962	CH ₃	H	H	F	F	Bond	CH ₃
963	CH ₃	H	H	F	F	Bond	C ₂ H ₅
964	CH ₃	H	H	F	F	Bond	n-C ₃ H ₇
30 965	CH ₃	H	H	F	F	Bond	n-C ₄ H ₉
966	CH ₃	H	H	F	F	Bond	n-C ₅ H ₁₁
967	CH ₃	H	H	F	F	Bond	n-C ₆ H ₁₃
968	CH ₃	H	H	F	F	Bond	n-C ₇ H ₁₅
969	CH ₃	H	F	F	F	Bond	CH ₃
35 970	CH ₃	H	F	F	F	Bond	C ₂ H ₅

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
971	CH ₃	H	F	F	F	Bond	n-C ₃ H ₇
972	CH ₃	H	F	F	F	Bond	n-C ₄ H ₉
973	CH ₃	H	F	F	F	Bond	n-C ₅ H ₁₁
974	CH ₃	H	F	F	F	Bond	n-C ₆ H ₁₃
975	CH ₃	H	F	F	F	Bond	n-C ₇ H ₁₅
976	CH ₃	F	F	F	F	Bond	CH ₃
977	CH ₃	F	F	F	F	Bond	C ₂ H ₅
978	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
979	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
980	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
981	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
982	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
983	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
984	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
985	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
986	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
987	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
988	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
989	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
990	CH ₃	F	F	F	F	CF ₂ O	CH ₃
991	CH ₃	F	F	F	F	CF ₂ O	C ₂ H ₅
992	CH ₃	F	F	F	F	CF ₂ O	n-C ₃ H ₇
993	CH ₃	F	F	F	F	CF ₂ O	n-C ₄ H ₉
994	CH ₃	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
995	CH ₃	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
996	CH ₃	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
997	C ₂ H ₅	H	H	F	F	Bond	CH ₃
998	C ₂ H ₅	H	H	F	F	Bond	C ₂ H ₅
999	C ₂ H ₅	H	H	F	F	Bond	n-C ₃ H ₇
1000	C ₂ H ₅	H	H	F	F	Bond	n-C ₄ H ₉
1001	C ₂ H ₅	H	H	F	F	Bond	n-C ₅ H ₁₁
1002	C ₂ H ₅	H	H	F	F	Bond	n-C ₆ H ₁₃
1003	C ₂ H ₅	H	H	F	F	Bond	n-C ₇ H ₁₅

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1004	C ₂ H ₅	F	F	F	F	Bond	CH ₃
1005	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
1006	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
1007	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
1008	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
1009	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
1010	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
1011	n-C ₃ H ₇	H	H	F	F	Bond	CH ₃
1012	n-C ₃ H ₇	H	H	F	F	Bond	C ₂ H ₅
1013	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₃ H ₇
1014	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₄ H ₉
1015	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₅ H ₁₁
1016	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₆ H ₁₃
1017	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₇ H ₁₅
1018	n-C ₃ H ₇	H	F	F	F	Bond	CH ₃
1019	n-C ₃ H ₇	H	F	F	F	Bond	C ₂ H ₅
1020	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₃ H ₇
1021	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₄ H ₉
1022	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₅ H ₁₁
1023	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₆ H ₁₃
1024	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₇ H ₁₅
1025	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
1026	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
1027	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
1028	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
1029	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
1030	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
1031	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
1032	n-C ₄ H ₉	H	H	F	F	Bond	CH ₃
1033	n-C ₄ H ₉	H	H	F	F	Bond	C ₂ H ₅
1034	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₃ H ₇
1035	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₄ H ₉
1036	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₅ H ₁₁

5

10

15


20

25

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1037	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₆ H ₁₃
1038	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₇ H ₁₅
1039	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
1040	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
1041	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
1042	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
1043	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
1044	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
1045	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
1046	n-C ₅ H ₁₁	H	H	F	F	Bond	CH ₃
1047	n-C ₅ H ₁₁	H	H	F	F	Bond	C ₂ H ₅
1048	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₃ H ₇
1049	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₄ H ₉
1050	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₅ H ₁₁
1051	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₆ H ₁₃
1052	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₇ H ₁₅
1053	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
1054	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
1055	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
1056	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
1057	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
1058	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
1059	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 1060 - 1206

30



35

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1060	H	H	H	H	F	Bond	CH ₃
1061	H	H	H	H	F	Bond	C ₂ H ₅
1062	H	H	H	H	F	Bond	n-C ₃ H ₇
1063	H	H	H	H	F	Bond	n-C ₄ H ₉
1064	H	H	H	H	F	Bond	n-C ₅ H ₁₁
1065	H	H	H	H	F	Bond	n-C ₆ H ₁₃
1066	H	H	H	H	F	Bond	n-C ₇ H ₁₅
1067	H	H	H	F	F	Bond	CH ₃
1068	H	H	H	F	F	Bond	C ₂ H ₅
1069	H	H	H	F	F	Bond	n-C ₃ H ₇
1070	H	H	H	F	F	Bond	n-C ₄ H ₉
1071	H	H	H	F	F	Bond	n-C ₅ H ₁₁
1072	H	H	H	F	F	Bond	n-C ₆ H ₁₃
1073	H	H	H	F	F	Bond	n-C ₇ H ₁₅
1074	H	H	F	F	F	Bond	CH ₃
1075	H	H	F	F	F	Bond	C ₂ H ₅
1076	H	H	F	F	F	Bond	n-C ₃ H ₇
1077	H	H	F	F	F	Bond	n-C ₄ H ₉
1078	H	H	F	F	F	Bond	n-C ₅ H ₁₁
1079	H	H	F	F	F	Bond	n-C ₆ H ₁₃
1080	H	H	F	F	F	Bond	n-C ₇ H ₁₅
1081	H	F	F	F	F	Bond	CH ₃
1082	H	F	F	F	F	Bond	C ₂ H ₅
1083	H	F	F	F	F	Bond	n-C ₃ H ₇
1084	H	F	F	F	F	Bond	n-C ₄ H ₉
1085	H	F	F	F	F	Bond	n-C ₅ H ₁₁
1086	H	F	F	F	F	Bond	n-C ₆ H ₁₃
1087	H	F	F	F	F	Bond	n-C ₇ H ₁₅
1088	H	H	F	F	F	CF ₂ CF ₂	CH ₃
1089	H	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1090	H	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1091	H	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1092	H	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1093	H	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1094	H	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1095	H	F	F	F	F	CF ₂ CF ₂	CH ₃
1096	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1097	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1098	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1099	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1100	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1101	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1102	H	F	F	F	F	CF ₂ O	CH ₃
1103	H	F	F	F	F	CF ₂ O	C ₂ H ₅
1104	H	F	F	F	F	CF ₂ O	n-C ₃ H ₇
1105	H	F	F	F	F	CF ₂ O	n-C ₄ H ₉
1106	H	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
1107	H	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1108	H	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1109	CH ₃	H	H	F	F	Bond	CH ₃
1110	CH ₃	H	H	F	F	Bond	C ₂ H ₅
1111	CH ₃	H	H	F	F	Bond	n-C ₃ H ₇
1112	CH ₃	H	H	F	F	Bond	n-C ₄ H ₉
1113	CH ₃	H	H	F	F	Bond	n-C ₅ H ₁₁
1114	CH ₃	H	H	F	F	Bond	n-C ₆ H ₁₃
1115	CH ₃	H	H	F	F	Bond	n-C ₇ H ₁₅
1116	CH ₃	H	F	F	F	Bond	CH ₃
1117	CH ₃	H	F	F	F	Bond	C ₂ H ₅
1118	CH ₃	H	F	F	F	Bond	n-C ₃ H ₇
1119	CH ₃	H	F	F	F	Bond	n-C ₄ H ₉
1120	CH ₃	H	F	F	F	Bond	n-C ₅ H ₁₁
1121	CH ₃	H	F	F	F	Bond	n-C ₆ H ₁₃
1122	CH ₃	H	F	F	F	Bond	n-C ₇ H ₁₅
1123	CH ₃	F	F	F	F	Bond	CH ₃
1124	CH ₃	F	F	F	F	Bond	C ₂ H ₅

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1125	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
1126	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
1127	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
1128	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
1129	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
1130	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
1131	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1132	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1133	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1134	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1135	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1136	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1137	CH ₃	F	F	F	F	CF ₂ O	CH ₃
1138	CH ₃	F	F	F	F	CF ₂ O	C ₂ H ₅
1139	CH ₃	F	F	F	F	CF ₂ O	n-C ₃ H ₇
1140	CH ₃	F	F	F	F	CF ₂ O	n-C ₄ H ₉
1141	CH ₃	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
1142	CH ₃	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1143	CH ₃	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1144	C ₂ H ₅	H	H	F	F	Bond	CH ₃
1145	C ₂ H ₅	H	H	F	F	Bond	C ₂ H ₅
1146	C ₂ H ₅	H	H	F	F	Bond	n-C ₃ H ₇
1147	C ₂ H ₅	H	H	F	F	Bond	n-C ₄ H ₉
1148	C ₂ H ₅	H	H	F	F	Bond	n-C ₅ H ₁₁
1149	C ₂ H ₅	H	H	F	F	Bond	n-C ₆ H ₁₃
1150	C ₂ H ₅	H	H	F	F	Bond	n-C ₇ H ₁₅
1151	C ₂ H ₅	F	F	F	F	Bond	CH ₃
1152	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
1153	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
1154	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
1155	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
1156	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
1157	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1158	n-C ₃ H ₇	H	H	F	F	Bond	CH ₃
1159	n-C ₃ H ₇	H	H	F	F	Bond	C ₂ H ₅
1160	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₃ H ₇
1161	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₄ H ₉
1162	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₅ H ₁₁
1163	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₆ H ₁₃
1164	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₇ H ₁₅
1165	n-C ₃ H ₇	H	F	F	F	Bond	CH ₃
1166	n-C ₃ H ₇	H	F	F	F	Bond	C ₂ H ₅
1167	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₃ H ₇
1168	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₄ H ₉
1169	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₅ H ₁₁
1170	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₆ H ₁₃
1171	n-C ₃ H ₇	H	F	F	F	Bond	n-C ₇ H ₁₅
1172	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
1173	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
1174	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
1175	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
1176	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
1177	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
1178	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
1179	n-C ₄ H ₉	H	H	F	F	Bond	CH ₃
1180	n-C ₄ H ₉	H	H	F	F	Bond	C ₂ H ₅
1181	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₃ H ₇
1182	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₄ H ₉
1183	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₅ H ₁₁
1184	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₆ H ₁₃
1185	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₇ H ₁₅
1186	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
1187	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
1188	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
1189	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
1190	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁

5

10


15

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1191	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
1192	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
1193	n-C ₅ H ₁₁	H	H	F	F	Bond	CH ₃
1194	n-C ₅ H ₁₁	H	H	F	F	Bond	C ₂ H ₅
1195	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₃ H ₇
1196	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₄ H ₉
1197	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₅ H ₁₁
1198	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₆ H ₁₃
1199	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₇ H ₁₅
1200	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
1201	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
1202	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
1203	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
1204	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
1205	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
1206	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

20

Examples 1207 - 1304

25



30

35

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
1207	CH ₃	H	H	F	F	Bond	CH ₃
1208	CH ₃	H	H	F	F	Bond	C ₂ H ₅
1209	CH ₃	H	H	F	F	Bond	n-C ₃ H ₇
1210	CH ₃	H	H	F	F	Bond	n-C ₄ H ₉
1211	CH ₃	H	H	F	F	Bond	n-C ₅ H ₁₁
1212	CH ₃	H	H	F	F	Bond	n-C ₆ H ₁₃
1213	CH ₃	H	H	F	F	Bond	n-C ₇ H ₁₅

5

10

15

20

25

30

35

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
1214	CH ₃	H	F	F	F	Bond	CH ₃
1215	CH ₃	H	F	F	F	Bond	C ₂ H ₅
1216	CH ₃	H	F	F	F	Bond	n-C ₃ H ₇
1217	CH ₃	H	F	F	F	Bond	n-C ₄ H ₉
1218	CH ₃	H	F	F	F	Bond	n-C ₅ H ₁₁
1219	CH ₃	H	F	F	F	Bond	n-C ₆ H ₁₃
1220	CH ₃	H	F	F	F	Bond	n-C ₇ H ₁₅
1221	CH ₃	F	F	F	F	Bond	CH ₃
1222	CH ₃	F	F	F	F	Bond	C ₂ H ₅
1223	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
1224	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
1225	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
1226	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
1227	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
1228	CH ₃	H	F	F	F	CF ₂ CF ₂	CH ₃
1229	CH ₃	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1230	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1231	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1232	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1233	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1234	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1235	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
1236	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1237	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1238	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1239	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1240	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1241	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1242	C ₂ H ₅	H	H	F	F	Bond	CH ₃
1243	C ₂ H ₅	H	H	F	F	Bond	C ₂ H ₅
1244	C ₂ H ₅	H	H	F	F	Bond	n-C ₃ H ₇
1245	C ₂ H ₅	H	H	F	F	Bond	n-C ₄ H ₉
1246	C ₂ H ₅	H	H	F	F	Bond	n-C ₅ H ₁₁

5

10

15

20

25

30

35

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
1247	C ₂ H ₅	H	H	F	F	Bond	n-C ₆ H ₁₃
1248	C ₂ H ₅	H	H	F	F	Bond	n-C ₇ H ₁₅
1249	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	CH ₃
1250	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1251	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1252	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1253	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1254	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1255	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1256	C ₂ H ₅	F	F	F	F	Bond	CH ₃
1257	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
1258	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
1259	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
1260	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
1261	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
1262	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
1263	n-C ₃ H ₇	H	H	F	F	Bond	CH ₃
1264	n-C ₃ H ₇	H	H	F	F	Bond	C ₂ H ₅
1265	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₃ H ₇
1266	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₄ H ₉
1267	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₅ H ₁₁
1268	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₆ H ₁₃
1269	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₇ H ₁₅
1270	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
1271	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
1272	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
1273	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
1274	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
1275	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
1276	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
1277	n-C ₄ H ₉	H	H	F	F	Bond	CH ₃
1278	n-C ₄ H ₉	H	H	F	F	Bond	C ₂ H ₅
1279	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₃ H ₇

5

10

15

20


25

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
1280	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₄ H ₉
1281	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₅ H ₁₁
1282	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₆ H ₁₃
1283	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₇ H ₁₅
1284	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
1285	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
1286	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
1287	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
1288	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
1289	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
1290	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
1291	n-C ₅ H ₁₁	H	H	F	F	Bond	CH ₃
1292	n-C ₅ H ₁₁	H	H	F	F	Bond	C ₂ H ₅
1293	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₃ H ₇
1294	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₄ H ₉
1295	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₅ H ₁₁
1296	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₆ H ₁₃
1297	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₇ H ₁₅
1298	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
1299	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
1300	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
1301	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
1302	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
1303	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
1304	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

30

Examples 1305 - 1423

35



5

10

15

20

25

30

35

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
1305	CH ₃	H	H	F	F	Bond	CH ₃
1306	CH ₃	H	H	F	F	Bond	C ₂ H ₅
1307	CH ₃	H	H	F	F	Bond	n-C ₃ H ₇
1308	CH ₃	H	H	F	F	Bond	n-C ₄ H ₉
1309	CH ₃	H	H	F	F	Bond	n-C ₅ H ₁₁
1310	CH ₃	H	H	F	F	Bond	n-C ₆ H ₁₃
1311	CH ₃	H	H	F	F	Bond	n-C ₇ H ₁₅
1312	CH ₃	H	F	F	F	Bond	CH ₃
1313	CH ₃	H	F	F	F	Bond	C ₂ H ₅
1314	CH ₃	H	F	F	F	Bond	n-C ₃ H ₇
1315	CH ₃	H	F	F	F	Bond	n-C ₄ H ₉
1316	CH ₃	H	F	F	F	Bond	n-C ₅ H ₁₁
1317	CH ₃	H	F	F	F	Bond	n-C ₆ H ₁₃
1318	CH ₃	H	F	F	F	Bond	n-C ₇ H ₁₅
1319	CH ₃	F	F	F	F	Bond	CH ₃
1320	CH ₃	F	F	F	F	Bond	C ₂ H ₅
1321	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
1322	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
1323	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
1324	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
1325	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
1326	CH ₃	H	F	F	F	CF ₂ CF ₂	CH ₃
1327	CH ₃	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1328	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1329	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1330	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1331	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1332	CH ₃	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1333	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
1334	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1335	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1336	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
1337	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1338	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1339	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
5 1340	CH ₃	H	F	F	F	OCF ₂	CH ₃
1341	CH ₃	H	F	F	F	OCF ₂	C ₂ H ₅
1342	CH ₃	H	F	F	F	OCF ₂	n-C ₃ H ₇
1343	CH ₃	H	F	F	F	OCF ₂	n-C ₄ H ₉
1344	CH ₃	H	F	F	F	OCF ₂	n-C ₅ H ₁₁
10 1345	CH ₃	H	F	F	F	OCF ₂	n-C ₆ H ₁₃
1346	CH ₃	H	F	F	F	OCF ₂	n-C ₇ H ₁₅
1347	CH ₃	F	F	F	F	OCF ₂	CH ₃
1348	CH ₃	F	F	F	F	OCF ₂	C ₂ H ₅
1349	CH ₃	F	F	F	F	OCF ₂	n-C ₃ H ₇
15 1350	CH ₃	F	F	F	F	OCF ₂	n-C ₄ H ₉
1351	CH ₃	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
1352	CH ₃	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
1353	CH ₃	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
20 1354	C ₂ H ₅	H	H	F	F	Bond	CH ₃
1355	C ₂ H ₅	H	H	F	F	Bond	C ₂ H ₅
1356	C ₂ H ₅	H	H	F	F	Bond	n-C ₃ H ₇
1357	C ₂ H ₅	H	H	F	F	Bond	n-C ₄ H ₉
1358	C ₂ H ₅	H	H	F	F	Bond	n-C ₅ H ₁₁
25 1359	C ₂ H ₅	H	H	F	F	Bond	n-C ₆ H ₁₃
1360	C ₂ H ₅	H	H	F	F	Bond	n-C ₇ H ₁₅
1361	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	CH ₃
1362	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1363	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
30 1364	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1365	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1366	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1367	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1368	C ₂ H ₅	F	F	F	F	OCF ₂	CH ₃
35 1369	C ₂ H ₅	F	F	F	F	OCF ₂	C ₂ H ₅

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
1370	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₃ H ₇
1371	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₄ H ₉
1372	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
1373	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
1374	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
1375	C ₂ H ₅	F	F	F	F	Bond	CH ₃
1376	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
1377	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
1378	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
1379	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
1380	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
1381	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
1382	n-C ₃ H ₇	H	H	F	F	Bond	CH ₃
1383	n-C ₃ H ₇	H	H	F	F	Bond	C ₂ H ₅
1384	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₃ H ₇
1385	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₄ H ₉
1386	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₅ H ₁₁
1387	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₆ H ₁₃
1388	n-C ₃ H ₇	H	H	F	F	Bond	n-C ₇ H ₁₅
1389	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
1390	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
1391	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
1392	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
1393	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
1394	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
1395	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
1396	n-C ₄ H ₉	H	H	F	F	Bond	CH ₃
1397	n-C ₄ H ₉	H	H	F	F	Bond	C ₂ H ₅
1398	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₃ H ₇
1399	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₄ H ₉
1400	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₅ H ₁₁
1401	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₆ H ₁₃
1402	n-C ₄ H ₉	H	H	F	F	Bond	n-C ₇ H ₁₅

5

10

15


20

25

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
1403	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
1404	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
1405	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
1406	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
1407	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
1408	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
1409	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
1410	n-C ₅ H ₁₁	H	H	F	F	Bond	CH ₃
1411	n-C ₅ H ₁₁	H	H	F	F	Bond	C ₂ H ₅
1412	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₃ H ₇
1413	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₄ H ₉
1414	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₅ H ₁₁
1415	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₆ H ₁₃
1416	n-C ₅ H ₁₁	H	H	F	F	Bond	n-C ₇ H ₁₅
1417	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
1418	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
1419	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
1420	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
1421	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
1422	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
1423	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

30

Examples 1424 - 1507



35

Example	E ¹	X ¹	X ²	X ³	R
1424	H	H	F	F	CH ₃
1425	H	H	F	F	C ₂ H ₅

5

10

15

20

25

30

35

Example	E ¹	X ¹	X ²	X ³	R
1426	H	H	F	F	n-C ₃ H ₇
1427	H	H	F	F	n-C ₄ H ₉
1428	H	H	F	F	n-C ₅ H ₁₁
1429	H	H	F	F	n-C ₆ H ₁₃
1430	H	H	F	F	n-C ₇ H ₁₅
1431	H	F	F	F	CH ₃
1432	H	F	F	F	C ₂ H ₅
1433	H	F	F	F	n-C ₃ H ₇
1434	H	F	F	F	n-C ₄ H ₉
1435	H	F	F	F	n-C ₅ H ₁₁
1436	H	F	F	F	n-C ₆ H ₁₃
1437	H	F	F	F	n-C ₇ H ₁₅
1438	CH ₃	H	F	F	CH ₃
1439	CH ₃	H	F	F	C ₂ H ₅
1440	CH ₃	H	F	F	n-C ₃ H ₇
1441	CH ₃	H	F	F	n-C ₄ H ₉
1442	CH ₃	H	F	F	n-C ₅ H ₁₁
1443	CH ₃	H	F	F	n-C ₆ H ₁₃
1444	CH ₃	H	F	F	n-C ₇ H ₁₅
1445	CH ₃	F	F	F	CH ₃
1446	CH ₃	F	F	F	C ₂ H ₅
1447	CH ₃	F	F	F	n-C ₃ H ₇
1448	CH ₃	F	F	F	n-C ₄ H ₉
1449	CH ₃	F	F	F	n-C ₅ H ₁₁
1450	CH ₃	F	F	F	n-C ₆ H ₁₃
1451	CH ₃	F	F	F	n-C ₇ H ₁₅
1452	C ₂ H ₅	H	F	F	CH ₃
1453	C ₂ H ₅	H	F	F	C ₂ H ₅
1454	C ₂ H ₅	H	F	F	n-C ₃ H ₇
1455	C ₂ H ₅	H	F	F	n-C ₄ H ₉
1456	C ₂ H ₅	H	F	F	n-C ₅ H ₁₁
1457	C ₂ H ₅	H	F	F	n-C ₆ H ₁₃
1458	C ₂ H ₅	H	F	F	n-C ₇ H ₁₅

Example	E ¹	X ¹	X ²	X ³	R
1459	C ₂ H ₅	F	F	F	CH ₃
1460	C ₂ H ₅	F	F	F	C ₂ H ₅
1461	C ₂ H ₅	F	F	F	n-C ₃ H ₇
5 1462	C ₂ H ₅	F	F	F	n-C ₄ H ₉
1463	C ₂ H ₅	F	F	F	n-C ₅ H ₁₁
1464	C ₂ H ₅	F	F	F	n-C ₆ H ₁₃
1465	C ₂ H ₅	F	F	F	n-C ₇ H ₁₅
10 1466	n-C ₃ H ₇	H	F	F	CH ₃
1467	n-C ₃ H ₇	H	F	F	C ₂ H ₅
1468	n-C ₃ H ₇	H	F	F	n-C ₃ H ₇
1469	n-C ₃ H ₇	H	F	F	n-C ₄ H ₉
1470	n-C ₃ H ₇	H	F	F	n-C ₅ H ₁₁
15 1471	n-C ₃ H ₇	H	F	F	n-C ₆ H ₁₃
1472	n-C ₃ H ₇	H	F	F	n-C ₇ H ₁₅
1473	n-C ₃ H ₇	F	F	F	CH ₃
1474	n-C ₃ H ₇	F	F	F	C ₂ H ₅
1475	n-C ₃ H ₇	F	F	F	n-C ₃ H ₇
20 1476	n-C ₃ H ₇	F	F	F	n-C ₄ H ₉
1477	n-C ₃ H ₇	F	F	F	n-C ₅ H ₁₁
1478	n-C ₃ H ₇	F	F	F	n-C ₆ H ₁₃
1479	n-C ₃ H ₇	F	F	F	n-C ₇ H ₁₅
1480	n-C ₄ H ₉	H	F	F	CH ₃
25 1481	n-C ₄ H ₉	H	F	F	C ₂ H ₅
1482	n-C ₄ H ₉	H	F	F	n-C ₃ H ₇
1483	n-C ₄ H ₉	H	F	F	n-C ₄ H ₉
1484	n-C ₄ H ₉	H	F	F	n-C ₅ H ₁₁
1485	n-C ₄ H ₉	H	F	F	n-C ₆ H ₁₃
30 1486	n-C ₄ H ₉	H	F	F	n-C ₇ H ₁₅
1487	n-C ₄ H ₉	F	F	F	CH ₃
1488	n-C ₄ H ₉	F	F	F	C ₂ H ₅
1489	n-C ₄ H ₉	F	F	F	n-C ₃ H ₇
1490	n-C ₄ H ₉	F	F	F	n-C ₄ H ₉
35 1491	n-C ₄ H ₉	F	F	F	n-C ₅ H ₁₁

5

10


15

Example	E ¹	X ¹	X ²	X ³	R
1492	n-C ₄ H ₉	F	F	F	n-C ₆ H ₁₃
1493	n-C ₄ H ₉	F	F	F	n-C ₇ H ₁₅
1494	n-C ₅ H ₁₁	H	F	F	CH ₃
1495	n-C ₅ H ₁₁	H	F	F	C ₂ H ₅
1496	n-C ₅ H ₁₁	H	F	F	n-C ₃ H ₇
1497	n-C ₅ H ₁₁	H	F	F	n-C ₄ H ₉
1498	n-C ₅ H ₁₁	H	F	F	n-C ₅ H ₁₁
1499	n-C ₅ H ₁₁	H	F	F	n-C ₆ H ₁₃
1500	n-C ₅ H ₁₁	H	F	F	n-C ₇ H ₁₅
1501	n-C ₅ H ₁₁	F	F	F	CH ₃
1502	n-C ₅ H ₁₁	F	F	F	C ₂ H ₅
1503	n-C ₅ H ₁₁	F	F	F	n-C ₃ H ₇
1504	n-C ₅ H ₁₁	F	F	F	n-C ₄ H ₉
1505	n-C ₅ H ₁₁	F	F	F	n-C ₅ H ₁₁
1506	n-C ₅ H ₁₁	F	F	F	n-C ₆ H ₁₃
1507	n-C ₅ H ₁₁	F	F	F	n-C ₇ H ₁₅

20

Examples 1508 - 1577

25



30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
1508	H	F	F	F	Bond	CH ₃
1509	H	F	F	F	Bond	C ₂ H ₅
1510	H	F	F	F	Bond	n-C ₃ H ₇
1511	H	F	F	F	Bond	n-C ₄ H ₉
1512	H	F	F	F	Bond	n-C ₅ H ₁₁
1513	H	F	F	F	Bond	n-C ₆ H ₁₃

Example	E ¹	X ¹	X ²	X ³	Z	R
1514	H	F	F	F	Bond	n-C ₇ H ₁₅
1515	H	F	F	F	CF ₂ CF ₂	CH ₃
1516	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1517	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1518	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1519	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1520	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1521	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1522	H	F	F	F	OCF ₂	CH ₃
1523	H	F	F	F	OCF ₂	C ₂ H ₅
1524	H	F	F	F	OCF ₂	n-C ₃ H ₇
1525	H	F	F	F	OCF ₂	n-C ₄ H ₉
1526	H	F	F	F	OCF ₂	n-C ₅ H ₁₁
1527	H	F	F	F	OCF ₂	n-C ₆ H ₁₃
1528	H	F	F	F	OCF ₂	n-C ₇ H ₁₅
1529	CH ₃	F	F	F	Bond	CH ₃
1530	CH ₃	F	F	F	Bond	C ₂ H ₅
1531	CH ₃	F	F	F	Bond	n-C ₃ H ₇
1532	CH ₃	F	F	F	Bond	n-C ₄ H ₉
1533	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
1534	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
1535	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
1536	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
1537	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1538	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1539	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1540	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1541	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1542	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1543	CH ₃	F	F	F	OCF ₂	CH ₃
1544	CH ₃	F	F	F	OCF ₂	C ₂ H ₅
1545	CH ₃	F	F	F	OCF ₂	n-C ₃ H ₇
1546	CH ₃	F	F	F	OCF ₂	n-C ₄ H ₉

5

10

15

20

25


30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
1547	CH ₃	F	F	F	OCF ₂	n-C ₅ H ₁₁
1548	CH ₃	F	F	F	OCF ₂	n-C ₆ H ₁₃
1549	CH ₃	F	F	F	OCF ₂	n-C ₇ H ₁₅
1550	C ₂ H ₅	F	F	F	Bond	CH ₃
1551	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
1552	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
1553	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
1554	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
1555	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
1556	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
1557	n-C ₃ H ₇	F	F	F	Bond	CH ₃
1558	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
1559	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
1560	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
1561	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
1562	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
1563	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
1564	n-C ₄ H ₉	F	F	F	Bond	CH ₃
1565	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
1566	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
1567	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
1568	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
1569	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
1570	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
1571	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
1572	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅
1573	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
1574	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
1575	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
1576	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
1577	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

Examples 1578 - 1647

5



10

15

20

25

30

35

Example	E¹	X¹	X²	X³	Z	R
1578	H	F	F	F	Bond	CH ₃
1579	H	F	F	F	Bond	C ₂ H ₅
1580	H	F	F	F	Bond	n-C ₃ H ₇
1581	H	F	F	F	Bond	n-C ₄ H ₉
1582	H	F	F	F	Bond	n-C ₅ H ₁₁
1583	H	F	F	F	Bond	n-C ₆ H ₁₃
1584	H	F	F	F	Bond	n-C ₇ H ₁₅
1585	H	F	F	F	CF ₂ CF ₂	CH ₃
1586	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1587	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1588	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1589	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1590	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1591	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1592	H	F	F	F	CF ₂ O	CH ₃
1593	H	F	F	F	CF ₂ O	C ₂ H ₅
1594	H	F	F	F	CF ₂ O	n-C ₃ H ₇
1595	H	F	F	F	CF ₂ O	n-C ₄ H ₉
1596	H	F	F	F	CF ₂ O	n-C ₅ H ₁₁
1597	H	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1598	H	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1599	CH ₃	F	F	F	Bond	CH ₃
1600	CH ₃	F	F	F	Bond	C ₂ H ₅
1601	CH ₃	F	F	F	Bond	n-C ₃ H ₇
1602	CH ₃	F	F	F	Bond	n-C ₄ H ₉

5

10

15

20

25

30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
1603	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
1604	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
1605	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
1606	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
1607	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1608	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1609	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1610	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1611	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1612	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1613	CH ₃	F	F	F	CF ₂ O	CH ₃
1614	CH ₃	F	F	F	CF ₂ O	C ₂ H ₅
1615	CH ₃	F	F	F	CF ₂ O	n-C ₃ H ₇
1616	CH ₃	F	F	F	CF ₂ O	n-C ₄ H ₉
1617	CH ₃	F	F	F	CF ₂ O	n-C ₅ H ₁₁
1618	CH ₃	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1619	CH ₃	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1620	C ₂ H ₅	F	F	F	Bond	CH ₃
1621	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
1622	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
1623	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
1624	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
1625	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
1626	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
1627	n-C ₃ H ₇	F	F	F	Bond	CH ₃
1628	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
1629	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
1630	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
1631	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
1632	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
1633	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
1634	n-C ₄ H ₉	F	F	F	Bond	CH ₃
1635	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅

5


10

15

Example	E ¹	X ¹	X ²	X ³	Z	R
1636	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
1637	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
1638	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
1639	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
1640	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
1641	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
1642	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅
1643	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
1644	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
1645	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
1646	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
1647	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

20

Examples 1648 - 1717



25

30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
1648	H	F	F	F	Bond	CH ₃
1649	H	F	F	F	Bond	C ₂ H ₅
1650	H	F	F	F	Bond	n-C ₃ H ₇
1651	H	F	F	F	Bond	n-C ₄ H ₉
1652	H	F	F	F	Bond	n-C ₅ H ₁₁
1653	H	F	F	F	Bond	n-C ₆ H ₁₃
1654	H	F	F	F	Bond	n-C ₇ H ₁₅
1655	H	F	F	F	CF ₂ CF ₂	CH ₃
1656	H	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1657	H	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇

5

10

15

20

25

30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
1658	H	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1659	H	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1660	H	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1661	H	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1662	H	F	F	F	CF ₂ O	CH ₃
1663	H	F	F	F	CF ₂ O	C ₂ H ₅
1664	H	F	F	F	CF ₂ O	n-C ₃ H ₇
1665	H	F	F	F	CF ₂ O	n-C ₄ H ₉
1666	H	F	F	F	CF ₂ O	n-C ₅ H ₁₁
1667	H	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1668	H	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1669	CH ₃	F	F	F	Bond	CH ₃
1670	CH ₃	F	F	F	Bond	C ₂ H ₅
1671	CH ₃	F	F	F	Bond	n-C ₃ H ₇
1672	CH ₃	F	F	F	Bond	n-C ₄ H ₉
1673	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
1674	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
1675	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
1676	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
1677	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1678	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1679	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1680	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1681	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1682	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1683	CH ₃	F	F	F	CF ₂ O	CH ₃
1684	CH ₃	F	F	F	CF ₂ O	C ₂ H ₅
1685	CH ₃	F	F	F	CF ₂ O	n-C ₃ H ₇
1686	CH ₃	F	F	F	CF ₂ O	n-C ₄ H ₉
1687	CH ₃	F	F	F	CF ₂ O	n-C ₅ H ₁₁
1688	CH ₃	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1689	CH ₃	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1690	C ₂ H ₅	F	F	F	Bond	CH ₃

- 100 -

5

10

15

20

25


30

35

Example	E ¹	X ¹	X ²	X ³	Z	R
1691	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
1692	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
1693	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
1694	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
1695	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
1696	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
1697	n-C ₃ H ₇	F	F	F	Bond	CH ₃
1698	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
1699	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
1700	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
1701	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
1702	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
1703	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
1704	n-C ₄ H ₉	F	F	F	Bond	CH ₃
1705	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
1706	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
1707	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
1708	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
1709	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
1710	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
1711	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
1712	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅
1713	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
1714	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
1715	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
1716	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
1717	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

Examples 1718 - 1766

5



10

15

20

25

30

35

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
1718	CH ₃	F	F	F	Bond	CH ₃
1719	CH ₃	F	F	F	Bond	C ₂ H ₅
1720	CH ₃	F	F	F	Bond	n-C ₃ H ₇
1721	CH ₃	F	F	F	Bond	n-C ₄ H ₉
1722	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
1723	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
1724	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
1725	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
1726	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1727	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1728	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1729	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1730	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1731	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1732	C ₂ H ₅	F	F	F	CF ₂ CF ₂	CH ₃
1733	C ₂ H ₅	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1734	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1735	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1736	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1737	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1738	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1739	C ₂ H ₅	F	F	F	Bond	CH ₃
1740	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
1741	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
1742	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
1743	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁

5

10

15


20

25

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
1744	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
1745	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
1746	n-C ₃ H ₇	F	F	F	Bond	CH ₃
1747	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
1748	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
1749	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
1750	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
1751	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
1752	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
1753	n-C ₄ H ₉	F	F	F	Bond	CH ₃
1754	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
1755	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
1756	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
1757	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
1758	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
1759	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
1760	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
1761	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅
1762	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
1763	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
1764	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
1765	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
1766	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

Examples 1767 - 1829

30



35

	Example	R ^b	X ¹	X ²	X ³	Z	R ^a
	1767	CH ₃	F	F	F	Bond	CH ₃
	1768	CH ₃	F	F	F	Bond	C ₂ H ₅
	1769	CH ₃	F	F	F	Bond	n-C ₃ H ₇
5	1770	CH ₃	F	F	F	Bond	n-C ₄ H ₉
	1771	CH ₃	F	F	F	Bond	n-C ₅ H ₁₁
	1772	CH ₃	F	F	F	Bond	n-C ₆ H ₁₃
	1773	CH ₃	F	F	F	Bond	n-C ₇ H ₁₅
10	1774	CH ₃	F	F	F	CF ₂ CF ₂	CH ₃
	1775	CH ₃	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	1776	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
	1777	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
	1778	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
15	1779	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
	1780	CH ₃	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	1781	CH ₃	F	F	F	CF ₂ O	CH ₃
	1782	CH ₃	F	F	F	CF ₂ O	C ₂ H ₅
	1783	CH ₃	F	F	F	CF ₂ O	n-C ₃ H ₇
20	1784	CH ₃	F	F	F	CF ₂ O	n-C ₄ H ₉
	1785	CH ₃	F	F	F	CF ₂ O	n-C ₅ H ₁₁
	1786	CH ₃	F	F	F	CF ₂ O	n-C ₆ H ₁₃
	1787	CH ₃	F	F	F	CF ₂ O	n-C ₇ H ₁₅
	1788	C ₂ H ₅	F	F	F	CF ₂ CF ₂	CH ₃
25	1789	C ₂ H ₅	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	1790	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
	1791	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
	1792	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
	1793	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
30	1794	C ₂ H ₅	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	1795	C ₂ H ₅	F	F	F	CF ₂ O	CH ₃
	1796	C ₂ H ₅	F	F	F	CF ₂ O	C ₂ H ₅
	1797	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₃ H ₇
	1798	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₄ H ₉
35	1799	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₅ H ₁₁

5

10

15

20

25


30

Example	R ^b	X ¹	X ²	X ³	Z	R ^a
1800	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1801	C ₂ H ₅	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1802	C ₂ H ₅	F	F	F	Bond	CH ₃
1803	C ₂ H ₅	F	F	F	Bond	C ₂ H ₅
1804	C ₂ H ₅	F	F	F	Bond	n-C ₃ H ₇
1805	C ₂ H ₅	F	F	F	Bond	n-C ₄ H ₉
1806	C ₂ H ₅	F	F	F	Bond	n-C ₅ H ₁₁
1807	C ₂ H ₅	F	F	F	Bond	n-C ₆ H ₁₃
1808	C ₂ H ₅	F	F	F	Bond	n-C ₇ H ₁₅
1809	n-C ₃ H ₇	F	F	F	Bond	CH ₃
1810	n-C ₃ H ₇	F	F	F	Bond	C ₂ H ₅
1811	n-C ₃ H ₇	F	F	F	Bond	n-C ₃ H ₇
1812	n-C ₃ H ₇	F	F	F	Bond	n-C ₄ H ₉
1813	n-C ₃ H ₇	F	F	F	Bond	n-C ₅ H ₁₁
1814	n-C ₃ H ₇	F	F	F	Bond	n-C ₆ H ₁₃
1815	n-C ₃ H ₇	F	F	F	Bond	n-C ₇ H ₁₅
1816	n-C ₄ H ₉	F	F	F	Bond	CH ₃
1817	n-C ₄ H ₉	F	F	F	Bond	C ₂ H ₅
1818	n-C ₄ H ₉	F	F	F	Bond	n-C ₃ H ₇
1819	n-C ₄ H ₉	F	F	F	Bond	n-C ₄ H ₉
1820	n-C ₄ H ₉	F	F	F	Bond	n-C ₅ H ₁₁
1821	n-C ₄ H ₉	F	F	F	Bond	n-C ₆ H ₁₃
1822	n-C ₄ H ₉	F	F	F	Bond	n-C ₇ H ₁₅
1823	n-C ₅ H ₁₁	F	F	F	Bond	CH ₃
1824	n-C ₅ H ₁₁	F	F	F	Bond	C ₂ H ₅
1825	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₃ H ₇
1826	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₄ H ₉
1827	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₅ H ₁₁
1828	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₆ H ₁₃
1829	n-C ₅ H ₁₁	F	F	F	Bond	n-C ₇ H ₁₅

35

Examples 1830 - 1871

5



10

15

20

25

30

35

Example	E¹	X¹ᵃ	X¹ᵇ	X²	X³	R
1830	H	F	F	F	F	CH₃
1831	H	F	F	F	F	C₂H₅
1832	H	F	F	F	F	n-C₃H₇
1833	H	F	F	F	F	n-C₄H₉
1834	H	F	F	F	F	n-C₅H₁₁
1835	H	F	F	F	F	n-C₆H₁₃
1836	H	F	F	F	F	n-C₇H₁₅
1837	CH₃	F	F	F	F	CH₃
1838	CH₃	F	F	F	F	C₂H₅
1839	CH₃	F	F	F	F	n-C₃H₇
1840	CH₃	F	F	F	F	n-C₄H₉
1841	CH₃	F	F	F	F	n-C₅H₁₁
1842	CH₃	F	F	F	F	n-C₆H₁₃
1843	CH₃	F	F	F	F	n-C₇H₁₅
1844	C₂H₅	F	F	F	F	CH₃
1845	C₂H₅	F	F	F	F	C₂H₅
1846	C₂H₅	F	F	F	F	n-C₃H₇
1847	C₂H₅	F	F	F	F	n-C₄H₉
1848	C₂H₅	F	F	F	F	n-C₅H₁₁
1849	C₂H₅	F	F	F	F	n-C₆H₁₃
1850	C₂H₅	F	F	F	F	n-C₇H₁₅
1851	n-C₃H₇	F	F	F	F	CH₃
1852	n-C₃H₇	F	F	F	F	C₂H₅
1853	n-C₃H₇	F	F	F	F	n-C₃H₇
1854	n-C₃H₇	F	F	F	F	n-C₄H₉

5

10


15

20

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	R
1855	n-C ₃ H ₇	F	F	F	F	n-C ₅ H ₁₁
1856	n-C ₃ H ₇	F	F	F	F	n-C ₆ H ₁₃
1857	n-C ₃ H ₇	F	F	F	F	n-C ₇ H ₁₅
1858	n-C ₄ H ₉	F	F	F	F	CH ₃
1859	n-C ₄ H ₉	F	F	F	F	C ₂ H ₅
1860	n-C ₄ H ₉	F	F	F	F	n-C ₃ H ₇
1861	n-C ₄ H ₉	F	F	F	F	n-C ₄ H ₉
1862	n-C ₄ H ₉	F	F	F	F	n-C ₅ H ₁₁
1863	n-C ₄ H ₉	F	F	F	F	n-C ₆ H ₁₃
1864	n-C ₄ H ₉	F	F	F	F	n-C ₇ H ₁₅
1865	n-C ₅ H ₁₁	F	F	F	F	CH ₃
1866	n-C ₅ H ₁₁	F	F	F	F	C ₂ H ₅
1867	n-C ₅ H ₁₁	F	F	F	F	n-C ₃ H ₇
1868	n-C ₅ H ₁₁	F	F	F	F	n-C ₄ H ₉
1869	n-C ₅ H ₁₁	F	F	F	F	n-C ₅ H ₁₁
1870	n-C ₅ H ₁₁	F	F	F	F	n-C ₆ H ₁₃
1871	n-C ₅ H ₁₁	F	F	F	F	n-C ₇ H ₁₅

Example 1872 - 1941

25



30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1872	H	F	F	F	F	Bond	CH ₃
1873	H	F	F	F	F	Bond	C ₂ H ₅
1874	H	F	F	F	F	Bond	n-C ₃ H ₇
1875	H	F	F	F	F	Bond	n-C ₄ H ₉
1876	H	F	F	F	F	Bond	n-C ₅ H ₁₁

	Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
	1877	H	F	F	F	F	Bond	n-C ₆ H ₁₃
	1878	H	F	F	F	F	Bond	n-C ₇ H ₁₅
5	1879	H	F	F	F	F	CF ₂ CF ₂	CH ₃
	1880	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	1881	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
	1882	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
	1883	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
10	1884	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
	1885	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	1886	H	F	F	F	F	OCF ₂	CH ₃
	1887	H	F	F	F	F	OCF ₂	C ₂ H ₅
	1888	H	F	F	F	F	OCF ₂	n-C ₃ H ₇
15	1889	H	F	F	F	F	OCF ₂	n-C ₄ H ₉
	1890	H	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
	1891	H	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
	1892	H	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
	1893	CH ₃	F	F	F	F	Bond	CH ₃
20	1894	CH ₃	F	F	F	F	Bond	C ₂ H ₅
	1895	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
	1896	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
	1897	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
	1898	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
25	1899	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
	1900	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
	1901	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	1902	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
	1903	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
30	1904	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
	1905	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
	1906	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	1907	CH ₃	F	F	F	F	OCF ₂	CH ₃
	1908	CH ₃	F	F	F	F	OCF ₂	C ₂ H ₅
35	1909	CH ₃	F	F	F	F	OCF ₂	n-C ₃ H ₇

5

10

15

20

25


30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1910	CH ₃	F	F	F	F	OCF ₂	n-C ₄ H ₉
1911	CH ₃	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
1912	CH ₃	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
1913	CH ₃	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
1914	C ₂ H ₅	F	F	F	F	Bond	CH ₃
1915	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
1916	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
1917	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
1918	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
1919	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
1920	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
1921	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
1922	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
1923	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
1924	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
1925	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
1926	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
1927	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
1928	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
1929	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
1930	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
1931	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
1932	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
1933	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
1934	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
1935	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
1936	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
1937	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
1938	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
1939	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
1940	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
1941	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 1942 - 2011

5



10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1942	H	F	F	F	F	Bond	CH ₃
1943	H	F	F	F	F	Bond	C ₂ H ₅
1944	H	F	F	F	F	Bond	n-C ₃ H ₇
1945	H	F	F	F	F	Bond	n-C ₄ H ₉
1946	H	F	F	F	F	Bond	n-C ₅ H ₁₁
1947	H	F	F	F	F	Bond	n-C ₆ H ₁₃
1948	H	F	F	F	F	Bond	n-C ₇ H ₁₅
1949	H	F	F	F	F	CF ₂ CF ₂	CH ₃
1950	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1951	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1952	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1953	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1954	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1955	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1956	H	F	F	F	F	CF ₂ O	CH ₃
1957	H	F	F	F	F	CF ₂ O	C ₂ H ₅
1958	H	F	F	F	F	CF ₂ O	n-C ₃ H ₇
1959	H	F	F	F	F	CF ₂ O	n-C ₄ H ₉
1960	H	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
1961	H	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1962	H	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1963	CH ₃	F	F	F	F	Bond	CH ₃
1964	CH ₃	F	F	F	F	Bond	C ₂ H ₅
1965	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇

- 110 -

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1966	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
1967	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
1968	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
1969	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
1970	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
1971	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
1972	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
1973	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
1974	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
1975	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
1976	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
1977	CH ₃	F	F	F	F	CF ₂ O	CH ₃
1978	CH ₃	F	F	F	F	CF ₂ O	C ₂ H ₅
1979	CH ₃	F	F	F	F	CF ₂ O	n-C ₃ H ₇
1980	CH ₃	F	F	F	F	CF ₂ O	n-C ₄ H ₉
1981	CH ₃	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
1982	CH ₃	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
1983	CH ₃	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
1984	C ₂ H ₅	F	F	F	F	Bond	CH ₃
1985	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
1986	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
1987	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
1988	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
1989	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
1990	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
1991	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
1992	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
1993	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
1994	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
1995	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
1996	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
1997	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
1998	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃

- 111 -

5


10

15

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
1999	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
2000	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2001	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2002	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2003	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2004	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2005	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2006	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2007	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2008	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2009	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2010	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2011	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 2012 - 2081

20



25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2012	H	F	F	F	F	Bond	CH ₃
2013	H	F	F	F	F	Bond	C ₂ H ₅
2014	H	F	F	F	F	Bond	n-C ₃ H ₇
2015	H	F	F	F	F	Bond	n-C ₄ H ₉
2016	H	F	F	F	F	Bond	n-C ₅ H ₁₁
2017	H	F	F	F	F	Bond	n-C ₆ H ₁₃
2018	H	F	F	F	F	Bond	n-C ₇ H ₁₅
2019	H	F	F	F	F	CF ₂ CF ₂	CH ₃
2020	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅

	Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
	2021	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
	2022	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
5	2023	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
	2024	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
	2025	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	2026	H	F	F	F	F	CF ₂ O	CH ₃
	2027	H	F	F	F	F	CF ₂ O	C ₂ H ₅
10	2028	H	F	F	F	F	CF ₂ O	n-C ₃ H ₇
	2029	H	F	F	F	F	CF ₂ O	n-C ₄ H ₉
	2030	H	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
	2031	H	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
	2032	H	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
15	2033	CH ₃	F	F	F	F	Bond	CH ₃
	2034	CH ₃	F	F	F	F	Bond	C ₂ H ₅
	2035	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
	2036	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
	2037	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
20	2038	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
	2039	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
	2040	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
	2041	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	2042	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
25	2043	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
	2044	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
	2045	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
	2046	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	2047	CH ₃	F	F	F	F	CF ₂ O	CH ₃
30	2048	CH ₃	F	F	F	F	CF ₂ O	C ₂ H ₅
	2049	CH ₃	F	F	F	F	CF ₂ O	n-C ₃ H ₇
	2050	CH ₃	F	F	F	F	CF ₂ O	n-C ₄ H ₉
	2051	CH ₃	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
	2052	CH ₃	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
35	2053	CH ₃	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅

5

10

15

20

25


30

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2054	C ₂ H ₅	F	F	F	F	Bond	CH ₃
2055	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
2056	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
2057	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
2058	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
2059	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
2060	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
2061	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
2062	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
2063	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
2064	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
2065	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
2066	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
2067	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
2068	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
2069	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
2070	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2071	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2072	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2073	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2074	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2075	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2076	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2077	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2078	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2079	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2080	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2081	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

35

Examples 2082 - 2130

5



10

15

20

25

30

35

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
2082	CH ₃	F	F	F	F	Bond	CH ₃
2083	CH ₃	F	F	F	F	Bond	C ₂ H ₅
2084	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
2085	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
2086	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
2087	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
2088	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
2089	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
2090	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2091	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2092	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2093	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2094	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2095	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2096	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	CH ₃
2097	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2098	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2099	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2100	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2101	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2102	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2103	C ₂ H ₅	F	F	F	F	Bond	CH ₃
2104	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
2105	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
2106	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
2107	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁

5

10

15


20

25

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
2108	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
2109	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
2110	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
2111	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
2112	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
2113	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
2114	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
2115	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
2116	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
2117	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
2118	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
2119	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2120	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2121	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2122	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2123	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2124	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2125	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2126	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2127	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2128	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2129	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2130	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 2131 - 2193

30



35

5

10

15

20

25

30

35

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
2131	CH ₃	F	F	F	F	Bond	CH ₃
2132	CH ₃	F	F	F	F	Bond	C ₂ H ₅
2133	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
2134	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
2135	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
2136	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
2137	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
2138	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
2139	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2140	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2141	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2142	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2143	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2144	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2145	CH ₃	F	F	F	F	OCF ₂	CH ₃
2146	CH ₃	F	F	F	F	OCF ₂	C ₂ H ₅
2147	CH ₃	F	F	F	F	OCF ₂	n-C ₃ H ₇
2148	CH ₃	F	F	F	F	OCF ₂	n-C ₄ H ₉
2149	CH ₃	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
2150	CH ₃	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
2151	CH ₃	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
2152	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	CH ₃
2153	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2154	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2155	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2156	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2157	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2158	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2159	C ₂ H ₅	F	F	F	F	OCF ₂	CH ₃
2160	C ₂ H ₅	F	F	F	F	OCF ₂	C ₂ H ₅
2161	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₃ H ₇
2162	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₄ H ₉
2163	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₅ H ₁₁

- 117 -

5

10

15

20

25


30

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
2164	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
2165	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
2166	C ₂ H ₅	F	F	F	F	Bond	CH ₃
2167	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
2168	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
2169	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
2170	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
2171	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
2172	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
2173	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
2174	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
2175	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
2176	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
2177	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
2178	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
2179	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
2180	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
2181	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
2182	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2183	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2184	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2185	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2186	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2187	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2188	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2189	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2190	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2191	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2192	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2193	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

35

Examples 2194 - 2235

5



10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	R
2194	H	F	F	F	F	CH ₃
2195	H	F	F	F	F	C ₂ H ₅
2196	H	F	F	F	F	n-C ₃ H ₇
2197	H	F	F	F	F	n-C ₄ H ₉
2198	H	F	F	F	F	n-C ₅ H ₁₁
2199	H	F	F	F	F	n-C ₆ H ₁₃
2200	H	F	F	F	F	n-C ₇ H ₁₅
2201	CH ₃	F	F	F	F	CH ₃
2202	CH ₃	F	F	F	F	C ₂ H ₅
2203	CH ₃	F	F	F	F	n-C ₃ H ₇
2204	CH ₃	F	F	F	F	n-C ₄ H ₉
2205	CH ₃	F	F	F	F	n-C ₅ H ₁₁
2206	CH ₃	F	F	F	F	n-C ₆ H ₁₃
2207	CH ₃	F	F	F	F	n-C ₇ H ₁₅
2208	C ₂ H ₅	F	F	F	F	CH ₃
2209	C ₂ H ₅	F	F	F	F	C ₂ H ₅
2210	C ₂ H ₅	F	F	F	F	n-C ₃ H ₇
2211	C ₂ H ₅	F	F	F	F	n-C ₄ H ₉
2212	C ₂ H ₅	F	F	F	F	n-C ₅ H ₁₁
2213	C ₂ H ₅	F	F	F	F	n-C ₆ H ₁₃
2214	C ₂ H ₅	F	F	F	F	n-C ₇ H ₁₅
2215	n-C ₃ H ₇	F	F	F	F	CH ₃
2216	n-C ₃ H ₇	F	F	F	F	C ₂ H ₅
2217	n-C ₃ H ₇	F	F	F	F	n-C ₃ H ₇
2218	n-C ₃ H ₇	F	F	F	F	n-C ₄ H ₉
2219	n-C ₃ H ₇	F	F	F	F	n-C ₅ H ₁₁

5

10


15

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	R
2220	n-C ₃ H ₇	F	F	F	F	n-C ₆ H ₁₃
2221	n-C ₃ H ₇	F	F	F	F	n-C ₇ H ₁₅
2222	n-C ₄ H ₉	F	F	F	F	CH ₃
2223	n-C ₄ H ₉	F	F	F	F	C ₂ H ₅
2224	n-C ₄ H ₉	F	F	F	F	n-C ₃ H ₇
2225	n-C ₄ H ₉	F	F	F	F	n-C ₄ H ₉
2226	n-C ₄ H ₉	F	F	F	F	n-C ₅ H ₁₁
2227	n-C ₄ H ₉	F	F	F	F	n-C ₆ H ₁₃
2228	n-C ₄ H ₉	F	F	F	F	n-C ₇ H ₁₅
2229	n-C ₅ H ₁₁	F	F	F	F	CH ₃
2230	n-C ₅ H ₁₁	F	F	F	F	C ₂ H ₅
2231	n-C ₅ H ₁₁	F	F	F	F	n-C ₃ H ₇
2232	n-C ₅ H ₁₁	F	F	F	F	n-C ₄ H ₉
2233	n-C ₅ H ₁₁	F	F	F	F	n-C ₅ H ₁₁
2234	n-C ₅ H ₁₁	F	F	F	F	n-C ₆ H ₁₃
2235	n-C ₅ H ₁₁	F	F	F	F	n-C ₇ H ₁₅

20

Examples 2236 - 2305

25



30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2236	H	F	F	F	F	Bond	CH ₃
2237	H	F	F	F	F	Bond	C ₂ H ₅
2238	H	F	F	F	F	Bond	n-C ₃ H ₇
2239	H	F	F	F	F	Bond	n-C ₄ H ₉
2240	H	F	F	F	F	Bond	n-C ₅ H ₁₁
2241	H	F	F	F	F	Bond	n-C ₆ H ₁₃

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2242	H	F	F	F	F	Bond	n-C ₇ H ₁₅
2243	H	F	F	F	F	CF ₂ CF ₂	CH ₃
2244	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2245	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2246	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2247	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2248	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2249	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2250	H	F	F	F	F	OCF ₂	CH ₃
2251	H	F	F	F	F	OCF ₂	C ₂ H ₅
2252	H	F	F	F	F	OCF ₂	n-C ₃ H ₇
2253	H	F	F	F	F	OCF ₂	n-C ₄ H ₉
2254	H	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
2255	H	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
2256	H	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
2257	CH ₃	F	F	F	F	Bond	CH ₃
2258	CH ₃	F	F	F	F	Bond	C ₂ H ₅
2259	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
2260	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
2261	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
2262	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
2263	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
2264	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
2265	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2266	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2267	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2268	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2269	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2270	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2271	CH ₃	F	F	F	F	OCF ₂	CH ₃
2272	CH ₃	F	F	F	F	OCF ₂	C ₂ H ₅
2273	CH ₃	F	F	F	F	OCF ₂	n-C ₃ H ₇
2274	CH ₃	F	F	F	F	OCF ₂	n-C ₄ H ₉

5

10

15

20

25


30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2275	CH ₃	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
2276	CH ₃	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
2277	CH ₃	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
2278	C ₂ H ₅	F	F	F	F	Bond	CH ₃
2279	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
2280	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
2281	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
2282	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
2283	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
2284	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
2285	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
2286	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
2287	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
2288	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
2289	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
2290	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
2291	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
2292	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
2293	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
2294	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2295	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2296	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2297	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2298	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2299	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2300	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2301	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2302	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2303	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2304	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2305	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 2306 - 2375

5



10

15

20

25

30


35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2306	H	F	F	F	F	Bond	CH ₃
2307	H	F	F	F	F	Bond	C ₂ H ₅
2308	H	F	F	F	F	Bond	n-C ₃ H ₇
2309	H	F	F	F	F	Bond	n-C ₄ H ₉
2310	H	F	F	F	F	Bond	n-C ₅ H ₁₁
2311	H	F	F	F	F	Bond	n-C ₆ H ₁₃
2312	H	F	F	F	F	Bond	n-C ₇ H ₁₅
2313	H	F	F	F	F	CF ₂ CF ₂	CH ₃
2314	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2315	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2316	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2317	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2318	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2319	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2320	H	F	F	F	F	CF ₂ O	CH ₃
2321	H	F	F	F	F	CF ₂ O	C ₂ H ₅
2322	H	F	F	F	F	CF ₂ O	n-C ₃ H ₇
2323	H	F	F	F	F	CF ₂ O	n-C ₄ H ₉
2324	H	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
2325	H	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
2326	H	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
2327	CH ₃	F	F	F	F	Bond	CH ₃
2328	CH ₃	F	F	F	F	Bond	C ₂ H ₅
2329	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
2330	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2331	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
2332	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
2333	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
2334	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
2335	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2336	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2337	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2338	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2339	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2340	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2341	CH ₃	F	F	F	F	CF ₂ O	CH ₃
2342	CH ₃	F	F	F	F	CF ₂ O	C ₂ H ₅
2343	CH ₃	F	F	F	F	CF ₂ O	n-C ₃ H ₇
2344	CH ₃	F	F	F	F	CF ₂ O	n-C ₄ H ₉
2345	CH ₃	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
2346	CH ₃	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
2347	CH ₃	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
2348	C ₂ H ₅	F	F	F	F	Bond	CH ₃
2349	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
2350	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
2351	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
2352	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
2353	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
2354	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
2355	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
2356	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
2357	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
2358	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
2359	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
2360	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
2361	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
2362	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
2363	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2364	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2365	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2366	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2367	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2368	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2369	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2370	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2371	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2372	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2373	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2374	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2375	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 2376 - 2445



Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2376	H	F	F	F	F	Bond	CH ₃
2377	H	F	F	F	F	Bond	C ₂ H ₅
2378	H	F	F	F	F	Bond	n-C ₃ H ₇
2379	H	F	F	F	F	Bond	n-C ₄ H ₉
2380	H	F	F	F	F	Bond	n-C ₅ H ₁₁
2381	H	F	F	F	F	Bond	n-C ₆ H ₁₃
2382	H	F	F	F	F	Bond	n-C ₇ H ₁₅
2383	H	F	F	F	F	CF ₂ CF ₂	CH ₃
2384	H	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2385	H	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇

5

10

15

20

25

30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2386	H	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2387	H	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2388	H	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2389	H	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2390	H	F	F	F	F	CF ₂ O	CH ₃
2391	H	F	F	F	F	CF ₂ O	C ₂ H ₅
2392	H	F	F	F	F	CF ₂ O	n-C ₃ H ₇
2393	H	F	F	F	F	CF ₂ O	n-C ₄ H ₉
2394	H	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
2395	H	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
2396	H	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
2397	CH ₃	F	F	F	F	Bond	CH ₃
2398	CH ₃	F	F	F	F	Bond	C ₂ H ₅
2399	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
2400	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
2401	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
2402	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
2403	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
2404	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
2405	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2406	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2407	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2408	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2409	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2410	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2411	CH ₃	F	F	F	F	CF ₂ O	CH ₃
2412	CH ₃	F	F	F	F	CF ₂ O	C ₂ H ₅
2413	CH ₃	F	F	F	F	CF ₂ O	n-C ₃ H ₇
2414	CH ₃	F	F	F	F	CF ₂ O	n-C ₄ H ₉
2415	CH ₃	F	F	F	F	CF ₂ O	n-C ₅ H ₁₁
2416	CH ₃	F	F	F	F	CF ₂ O	n-C ₆ H ₁₃
2417	CH ₃	F	F	F	F	CF ₂ O	n-C ₇ H ₁₅
2418	C ₂ H ₅	F	F	F	F	Bond	CH ₃

5

10

15

20

25


30

35

Example	E ¹	X ^{1a}	X ^{1b}	X ²	X ³	Z	R
2419	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
2420	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
2421	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
2422	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
2423	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
2424	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
2425	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
2426	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
2427	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
2428	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
2429	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
2430	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
2431	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
2432	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
2433	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
2434	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2435	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2436	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2437	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2438	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2439	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2440	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2441	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2442	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2443	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2444	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2445	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 2446 - 2494

5



10

15

20

25

30

35

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
2446	CH ₃	F	F	F	F	Bond	CH ₃
2447	CH ₃	F	F	F	F	Bond	C ₂ H ₅
2448	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
2449	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
2450	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
2451	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
2452	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
2453	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
2454	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2455	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2456	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2457	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2458	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2459	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2460	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	CH ₃
2461	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
2462	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
2463	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
2464	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
2465	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
2466	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
2467	C ₂ H ₅	F	F	F	F	Bond	CH ₃
2468	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
2469	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
2470	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
2471	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁

5

10

15


20

25

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
2472	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
2473	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
2474	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
2475	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
2476	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
2477	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
2478	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
2479	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
2480	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
2481	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
2482	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
2483	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2484	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2485	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2486	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2487	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2488	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2489	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2490	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2491	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2492	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2493	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2494	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Examples 2495 - 2557

30



35

	Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
5	2495	CH ₃	F	F	F	F	Bond	CH ₃
	2496	CH ₃	F	F	F	F	Bond	C ₂ H ₅
	2497	CH ₃	F	F	F	F	Bond	n-C ₃ H ₇
	2498	CH ₃	F	F	F	F	Bond	n-C ₄ H ₉
	2499	CH ₃	F	F	F	F	Bond	n-C ₅ H ₁₁
10	2500	CH ₃	F	F	F	F	Bond	n-C ₆ H ₁₃
	2501	CH ₃	F	F	F	F	Bond	n-C ₇ H ₁₅
	2502	CH ₃	F	F	F	F	CF ₂ CF ₂	CH ₃
	2503	CH ₃	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	2504	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
15	2505	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
	2506	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
	2507	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
	2508	CH ₃	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	2509	CH ₃	F	F	F	F	OCF ₂	CH ₃
20	2510	CH ₃	F	F	F	F	OCF ₂	C ₂ H ₅
	2511	CH ₃	F	F	F	F	OCF ₂	n-C ₃ H ₇
	2512	CH ₃	F	F	F	F	OCF ₂	n-C ₄ H ₉
	2513	CH ₃	F	F	F	F	OCF ₂	n-C ₅ H ₁₁
	2514	CH ₃	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
25	2515	CH ₃	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
	2516	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	CH ₃
	2517	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	C ₂ H ₅
	2518	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₃ H ₇
	2519	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₄ H ₉
30	2520	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₅ H ₁₁
	2521	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₆ H ₁₃
	2522	C ₂ H ₅	F	F	F	F	CF ₂ CF ₂	n-C ₇ H ₁₅
	2523	C ₂ H ₅	F	F	F	F	OCF ₂	CH ₃
	2524	C ₂ H ₅	F	F	F	F	OCF ₂	C ₂ H ₅
35	2525	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₃ H ₇
	2526	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₄ H ₉
	2527	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₅ H ₁₁

5

10

15

20

25

30

35

Example	R ^b	X ^{1a}	X ^{1b}	X ²	X ³	Z	R ^a
2528	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₆ H ₁₃
2529	C ₂ H ₅	F	F	F	F	OCF ₂	n-C ₇ H ₁₅
2530	C ₂ H ₅	F	F	F	F	Bond	CH ₃
2531	C ₂ H ₅	F	F	F	F	Bond	C ₂ H ₅
2532	C ₂ H ₅	F	F	F	F	Bond	n-C ₃ H ₇
2533	C ₂ H ₅	F	F	F	F	Bond	n-C ₄ H ₉
2534	C ₂ H ₅	F	F	F	F	Bond	n-C ₅ H ₁₁
2535	C ₂ H ₅	F	F	F	F	Bond	n-C ₆ H ₁₃
2536	C ₂ H ₅	F	F	F	F	Bond	n-C ₇ H ₁₅
2537	n-C ₃ H ₇	F	F	F	F	Bond	CH ₃
2538	n-C ₃ H ₇	F	F	F	F	Bond	C ₂ H ₅
2539	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₃ H ₇
2540	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₄ H ₉
2541	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₅ H ₁₁
2542	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₆ H ₁₃
2543	n-C ₃ H ₇	F	F	F	F	Bond	n-C ₇ H ₁₅
2544	n-C ₄ H ₉	F	F	F	F	Bond	CH ₃
2545	n-C ₄ H ₉	F	F	F	F	Bond	C ₂ H ₅
2546	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₃ H ₇
2547	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₄ H ₉
2548	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₅ H ₁₁
2549	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₆ H ₁₃
2550	n-C ₄ H ₉	F	F	F	F	Bond	n-C ₇ H ₁₅
2551	n-C ₅ H ₁₁	F	F	F	F	Bond	CH ₃
2552	n-C ₅ H ₁₁	F	F	F	F	Bond	C ₂ H ₅
2553	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₃ H ₇
2554	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₄ H ₉
2555	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₅ H ₁₁
2556	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₆ H ₁₃
2557	n-C ₅ H ₁₁	F	F	F	F	Bond	n-C ₇ H ₁₅

Table 1 $\Delta\epsilon$ - and Δn values for substances of individual examples

5	Example No.	$\Delta\epsilon$	Δn
	10 (Comp. 33)	-7.4	0.186
10	80	-9.0	0.116
	126	-8.4	0.100
	154	-9.7	0.107
	504	-8.5	0.124
15	2198	-10.7	0.067
	2238	-6.0	0.070

20

25

30

35